

Sharpening, Grinding & Polishing



Diamond Stones



Axminster Handled Diamond Hones


These mini diamond hones, with their 19 x 50mm continuous diamond sharpening areas, are just the job when you need to take the stone to the tool rather than vice versa. The three grades, medium, fine and extra fine with colour coded handles, cater for all situations. Blue = 180g, Yellow = 260g, Red = 360g.

	Inc.vat	Ex.vat	Code
Set of 3	£8.94	£7.45	200219

Axminster Diamond Mini Stone Sets

Two sets are available each comprising three diamond stones. Available sizes are 25 x 75mm, or 50 x 150mm. Supplied in one of each grit 180, 260 and 360, colour coded for ease of identification. Use them for sharpening or touching up all manner of small tools, chisels, pocket knives or router cutters. Use a little water as lubricant and dry after use. Blue = 180g, Yellow = 260g, Red = 360g.

	Inc.vat	Ex.vat	Code
25mm x 75mm	£3.95	£3.29	400092
50mm x 150mm	£7.94	£6.62	400093



Axminster Four Sided Diamond Stone

Twice the sharpening potential of a double sided stone. Each side is coated in a different grade of diamond grit. Sharpening is always easier and more efficient when done progressively. With this four sided stone you only need turn the face through 90° to begin the next stage to achieving a sharp edge. This is perfect for sharpening tools and many household implements. Easy and fast to use with 200, 300, 400 and 600 grit colour coded faces. No oil required just use water to lubricate. Includes non-slip base and storage case. Each diamond surface measures 50mm (2") x 150mm (6").

	Inc.vat	Ex.vat	Code
Diamond Stone	£17.94	£14.95	600683


Axminster Premium Diamond Stones



Axminster Double Sided Diamond Bench Stone

These 200 x 65mm double sided premium quality diamond stones give two options, just by flipping them over. We tested these extensively, medium 400g (36 micron) on one side and fine 1,000g (15 micron) on the other. Nickel plating permanently fixes the diamond particles onto the 8mm thick steel base. A chequered pattern carries away metal particles so maintaining the stone's cutting efficiency. The resulting surface is more than capable of sharpening modern hard steels, ceramic knives as well as traditional tool steels. A protective non-slip rubber surround keeps the stone in place when in use. You can use it dry but it works far better with a splash of water.


	Inc.vat	Ex.vat	Code
Double Sided Diamond Bench Stone	£22.94	£19.12	951777



Axminster Premium Diamond Bench Stones

These premium quality diamond bench stones have excellent sharpening performance and will sharpen most sizes of plane irons, chisels and knives. They feature solid plastic bases with non-slip feet and a small area of continuous diamond for detail sharpening of pointed tools. The size is 150 x 62mm (6" x 2.7/16") in two grades: medium (400grit) or fine (1,000grit).

	Inc.vat	Ex.vat	Code
150 x 62mm Medium	£15.95	£13.29	200224
150 x 62mm Fine	£15.95	£13.29	200225



Axminster Premium Double Sided Diamond Stone

This very useful general purpose diamond sharpening stone has fine abrasive on one side and coarse on the other. Both sides have small areas of continuous diamond for sharpening small items. The protective cover can be removed and fitted to the other end to form a handle. The size of the abrasive surface is 25 x 100mm.

	Inc.vat	Ex.vat	Code
Coarse/Fine	£8.94	£7.45	200220



Axminster Keyring Diamond Stones

Two handy sets of coarse, medium and fine diamond stones held together on a chain and with a leather fob. Both are small enough to be kept in the pocket, ready for use at any time. The smaller set measures 19 x 64mm and the larger 50 x 85mm.

	Inc.vat	Ex.vat	Code
19 x 64mm	£9.44	£7.87	200217
50 x 85mm	£13.44	£11.20	200218



Axminster Diamond Planer Blade Hone

The easiest way to keep your planer knives in good condition without removing them from the machine. The diamond hone consists of two diamond slips, 325 and 600 mesh, held at an angle in a wooden handle for topping and backing the blade. Applying the diamond to the edge of the blade and moving it along the length with a uniform pressure should restore the blades to their former glory. Please note, these are for honing the blades, they will not restore chipped or very dull blades. See online video. Suitable for HSS or TCT edged blades.

	Inc.vat	Ex.vat	Code
Planer Blade Hone	£26.45	£22.04	510258




Trend Fast Track Sharpening System

Fast Track is designed to produce flat, square and consistent bevels quickly and simply. The system is comprised of four parts: a base, handle/stone holder, coarse diamond stone (180 grit) and a fine diamond stone (400 grit). The handle/stone holder slides in a dovetail groove and is moved back and forth across the face of the bevel, giving guaranteed straight, flat ground, razor fine edges every time. Two other grades of diamond stone are available as accessories: an extra coarse diamond stone (90-120 grit) and an extra fine finishing diamond stone (600 grit). The Fast Track takes blades from 3mm (1/8") to 64mm (2.1/2") wide and sharpens at 25° or 30° bevels.

	Inc.vat	Ex.vat	Code
Fast Track System	£67.94	£56.62	438401
Stone for Fast Track XFine 600G	£13.25	£11.04	439033
Stone for Fastrack Coarse 90/120g	£13.25	£11.04	541005

DMT Diamond Stones



DMT Mini Whetstones

An excellent introduction to the benefits of diamond sharpening. Available in three grades, coarse, fine and extra fine, these 70 x 25mm handy stones can be used to sharpen a myriad of small items but, be warned, if you purchase one of these to try out the system then it will not be long before other items follow! We can guarantee that's how impressive it is! Coarse 325 grit = 45 micron, Fine 600 grit = 25 micron and Extra Fine 1,200 grit = 9 micron.

	Inc.vat	Ex.vat	Code
Coarse 325 Grit	£12.95	£10.79	410140
Fine 600 Grit	£12.95	£10.79	410143
Extra Fine 1,200 Grit	£12.95	£10.79	410141
Set of Three	£36.44	£30.37	410142

DMT Dia-Sharp Mini-Hones


DMT Mini-Hones have 63.5 x 19mm of continuous diamond hone permanently bonded to a comfortable, colour coded handle for easy identification. The Mini-Hones have a protruding tip just 0.85mm thick for getting into tight corners. These are amongst the handiest sharpening tools money can buy, with hundreds of uses from sharpening small scissors and touching up router cutters to de-burring. Coarse (blue) 325g, Fine (red) 600g and Extra Fine (green) 1,200g.




	Inc.vat	Ex.vat	Code
Coarse 325 Grit	£11.75	£9.79	410119
Fine 600 Grit	£11.75	£9.79	410121
Extra Fine 1,200 Grit	£11.75	£9.79	410120

DMT Pocket Whetstones

A 100 x 22mm (4"x7/8") pocket whetstone supplied in a protective pouch. Very useful for hand tools, garden tools, router bits, knives. Coarse 325 grit = 45 micron, Fine 600 grit = 25 micron.



	Inc.vat	Ex.vat	Code
Coarse 325 Grit	£20.45	£17.04	410116
Fine 600 Grit	£20.45	£17.04	410118




DMT Bench Whetstone

A compact 150 x 50mm (6" x 2") whetstone which can be fixed down onto a bench. Very useful for all manner of sharpening tasks, it can be used dry or with water. The clear plastic cover offers protection when not in use and provides for easy recognition.


	Inc.vat	Ex.vat	Code
Coarse 325 Grit	£66.95	£55.79	410135
Fine 600 Grit	£67.44	£56.20	410139
Extra Fine 1,200 Grit	£66.95	£55.79	410137

DMT DuoSharp Plus Double Sided

These DMT double-sided diamond bench stones have the added advantage of a section of continuous diamond coating. This means small or pointed tools are just as easy to sharpen as regular tools. To enhance the value of this product DMT include the Duo base and the stone can be flipped to use the reverse side in a matter of seconds. Size 200 x 67mm, with two grit combinations, either Extra Fine/Fine (1,200g = 9 Micron, 600g = 25 Micron) or Fine/Coarse (600g = 25 Micron, 325g = 45 Micron).



	Inc.vat	Ex.vat	Code
Extra Fine/Fine 1,200 / 600 Grit	£134.94	£112.45	400370
Fine/Coarse 600 / 325 Grit	£134.94	£112.45	400369



DMT DuoSharp 250mm Double Sided


These double-sided diamond bench stones are great value. Generously sized at 250 x 100mm, with a different grit on each side. Choose from Fine/Coarse (600g = 25 Micron, 325g = 45 Micron) or Extra Fine/ Fine (1,200g = 9 Micron, 600g = 25 Micron).

The adjustable base is an accessory, which firmly secures the stone and features a handle on the underside, enabling the stone to be taken to the blade as well as taking the blade to the stone. The stone simply clips into the base and can be flipped over or changed in a couple of seconds. The base is suitable for 200 and 250mm stones.

	Inc.vat	Ex.vat	Code
Fine/Coarse 600 Grit / 325 Grit	£199.94	£166.62	180006
Adjustable Base	£25.74	£21.45	180009

DMT Diafold Double Sided Whetstones

Part of a new generation of Diafold sharpeners, these double-sided pocket sized whetstones are just perfect for a myriad of sharpening tasks. The stone is 110 x 22mm and the clear, tough, resin folding handles protect the stone when not in use. Choose from a range of grit combinations.



	Inc.vat	Ex.vat	Code
Coarse/Extra Coarse 325/220 Grit	£53.94	£44.95	504535
Fine/Coarse 600/325 Grit	£48.95	£40.79	410132
Extra Fine/Fine 1,200/600 Grit	£48.95	£40.79	410133
Extra Extra Fine/Extra Fine 8,000/1,200 Grit	£48.95	£40.79	504536



DMT Dia-Sharp Diamond Sharpening Card

Forget gold cards or platinum cards, get yourself a diamond card. A credit card sized (80 x 50mm) steel plate coated on one side with a continuous diamond surface, keep one in your wallet for sharpening knives and tools. Available in a choice of three grades: Coarse 325 grit = 45 micron, Fine 600 grit = 25 micron and Extra Fine 1,200 grit = 9 micron.

	Inc.vat	Ex.vat	Code
Coarse 325 Grit	£17.75	£14.79	410122
Fine 600 Grit	£17.75	£14.79	410124
Extra Fine 1,200 Grit	£17.75	£14.79	410123

DMT Dia-Sharp Continuous Diamond Whetstones

These are precision made continuous diamond bench stones, with superior flatness and carefully graded mono-crystalline diamonds. The accuracy of the bench stones makes them particularly suitable for flattening off the backs of plane irons and the back faces of chisels as well as all other sharpening purposes. These are solid plate steel with all over nickel plating, made to last a lifetime. Available in three sizes 150 x 50mm, 200 x 75mm or a massive 250 x 100. The grades include: Extra Coarse 120 grit = 120 micron, Coarse 325 grit = 45 micron, Fine 600 grit = 25 micron, Extra Fine 1,200 grit = 9 micron or Extra Extra Fine 8,000 grit = 3 micron.



150mm x 50mm	Inc.vat	Ex.vat	Code
Fine 600 Grit	£42.95	£35.79	410125
Extra Fine 1,200 Grit	£42.95	£35.79	400761
200mm x 75mm	Inc.vat	Ex.vat	Code
Extra Extra Coarse 120 Grit	£119.94	£99.95	407737
Fine 600 Grit	£79.94	£66.62	410126
Extra Extra Fine 8,000 Grit	£124.94	£104.12	702288
250mm x 100mm	Inc.vat	Ex.vat	Code
Coarse 325 Grit	£139.94	£116.62	210973

DMT Dia-Sharp Double Sided Continuous Diamond Whetstone

A handy double sided diamond sharpening stone with two grits, coarse and fine, clearly marked on each side. Excellent for small and pointed tools, knives and cutters. Size: 150 x 50mm, one side coated in Fine (600 Grit = 25 Micron) grade, the other Coarse (325 Grit = 45 Micron).

	Inc.vat	Ex.vat	Code
Fine/Coarse 600/325 Grit	£79.94	£66.62	400764



DMT Diafold Chainsaw Sharpener

This is an excellent pocket sized diamond sharpener for reshaping your chainsaw chains. Of course it can also be used as a mini round file. The sharpener is 113mm long and available in coarse grade 5/32", 3/16" and 7/32" diameters to suit individual chain types. The clear, tough, resin folding handles protect the stone when not in use.

	Inc.vat	Ex.vat	Code
Diameter 4mm (5/32")	£41.45	£34.54	504528
Diameter 4.8mm (3/16")	£41.45	£34.54	504529
Diameter 5.5mm (7/32")	£41.45	£34.54	504530

DMT Diafold Whetstones

Part of a new generation of Diafold sharpeners, these pocket sized whetstones are just perfect for a myriad of sharpening tasks. The stone is 110 x 22mm and the clear tough resin folding handles protect the stone when not in use. Available in a range of grit



	Inc.vat	Ex.vat	Code
Extra Coarse 220 Grit	£29.45	£24.54	504531
Coarse 325 Grit	£29.45	£24.54	504532
Fine 600 Grit	£29.45	£24.54	504533
Extra Fine 1,200 Grit	£29.45	£24.54	504534

DMT Diamond Wave

This is the first diamond sharpener to combine convex and concave abrasive surfaces. At 250mm it provides longer sharpening strokes. The design means it can sharpen nearly all in-cannel or out-cannel tools. Constructed with a precisely micronized, mono-crystalline, diamond coating on a steel substrate, it provides smooth and even stock removal and sharpening. It provides radii from as small as 1.6mm (1/16") to 25.4mm (1"). Available in 600grit/25 micron, each Wave includes a non-skid mat.



	Inc.vat	Ex.vat	Code
Fine 600 Grit	£87.95	£73.29	950964

DMT Diamond Whetstone Care Kit

The DMT Diamond Whetstone Care Kit comprises everything you need to keep your whetstone in tip-top condition: Oxy-Scrub cleanser, (contains natural ingredients), cleans the surface of the whetstone ridding it of built up dirt and helping restore its sharpening properties, a durable brass bristle brush removes swarf and other debris and a block of High Polymer material used for routine dry cleaning. All this is contained in a zippered nylon pouch complete with detailed instructions.



	Inc.vat	Ex.vat	Code
DMT Whetstone Care Kit	£28.44	£23.70	202259



Veritas Glass Lapping Plate

The Veritas lapping plate is made from safety glass and is 215 x 355 x 6.3mm (8-1/2" x 14" x 1/4") and is guaranteed to be flat.

	Inc.vat	Ex.vat	Code
Glass Lapping Plate	£13.04	£10.87	476783



Small Granite Surface Plate

Made entirely of granite, it will always remain flat and neither changes in temperature nor humidity will affect its accuracy. Size 305 x 230 x 50mm, with a flatness of ±0.002mm. Use with wet and dry paper for sharpening or lapping.


	Inc.vat	Ex.vat	Code
305 x 230 x 50mm	£36.95	£30.79	100191



Axminster 12mm thick Float Glass Lapping Plate

At 12mm thick, this piece of float glass makes a very practical lapping plate for smaller planes, plane irons, chisels and flattening waterstones. The edges are smooth and polished. 12mm thick float glass is an ideal base for using with sheet abrasive. Wet and dry abrasive can be stuck down using spray mount although even a small amount of water is often sufficient to hold it in place. Back the glass with some thick MDF or better still an off-cut of 40mm thick kitchen worktop. Size 300 x 300 x 12mm.

	Inc.vat	Ex.vat	Code
Glass Lapping Plate	£24.95	£20.79	950932



Veritas Lapping Plate

Measuring 300(12") x 104(4.1/8") x 28mm(1.1/8") high and weighing approximately 6.3kg(14lb), this is one substantial lapping plate! Made from an iron chosen for its dimensional stability and material consistency (you won't find blade-scratching carbides in the material), the bottom and sides are machined, and the top is ground flat to within 0.025mm(0.001") over the entire surface. The unique channel design, optimised for a figure-eight lapping pattern, serves to eliminate resistance from hydraulic lock and captures excess oil, abrasive and slurry. It is designed to condition or smooth previously ground surfaces and is used with light oil. We offer a range of grits, but we recommend 280 grit for twisted, wavy or finished objects, 400 grit for ground surfaces with a slightly rough texture, and 600 grit for surfaces requiring little material removal.

	Inc.vat	Ex.vat	Code
Lapping Plate	£95.94	£79.95	210555
Powder 90 Grit 113g(4oz)	£5.94	£4.95	477323
Powder 180 Grit 56g(2oz)	£4.25	£3.54	210531
Powder 280 Grit 56g(2oz)	£4.85	£4.04	210532
Powder 400 Grit 56g(2oz)	£5.45	£4.54	210533
Powder 600 Grit 56g(2oz)	£6.54	£5.45	210534
Set of 5 (56g) Lapping Grits	£31.44	£26.20	476020



Veritas Steel Honing Plate

Precision ground to a flatness tolerance of 0.127mm (0.005") over the entire surface, this honing plate is an excellent substrate for diamond paste. The dimensionally stable low carbon steel will retain its flatness over a lifetime of ordinary use. The machining process creates a slight texture. This helps to capture diamond grit without compromising overall flatness. In use, the diamond particles readily embed into the softer steel to form a durable, fast-cutting abrasive surface. A dedicated plate for each grit size, should you choose to use more than one, cuts the risk of cross-contamination. Each measures 204 x 76 x 9.5mm and weighs 1.1kg. Made in Canada

	Inc.vat	Ex.vat	Code
Steel Honing Plate	£22.94	£19.12	502403

DMT Diamond Dia-Paste Honing Compound

Composed of monocrystalline diamond in a mineral oil base, the paste embeds into the surface of a lapping plate or strop. It abrades quickly and lasts a long time. Using diamond paste, you can achieve an exceptionally keen edge quickly and easily. Use a flat, steel honing plate to create an abrasive surface that will last a lifetime. Alternatively, simply make a strop from close-grained hardwood or MDF, apply a few drops of paste and use it to bring up a polished edge. Begin with the grit that corresponds to your finest stone and progress to finer paste: 6-micron following a fine stone, 3-micron after the 6-micron paste or an extra-fine stone and the 1-micron to provide a mirror finish. A separate plate is required for each grade. Made in the USA, the paste comes in 2-gram syringes, sold individually or as a kit of all three. Not recommended for use on leather strops.


	Inc.vat	Ex.vat	Code
Diamond Honing Compound 1 micron	£16.74	£13.95	502406
Diamond Honing Compound 6 micron	£16.74	£13.95	502404
Diamond Honing Compound 3 micron	£16.74	£13.95	502405
Diamond Honing Compound all 3 grits	£38.94	£32.45	502407



Veritas Honing Compound

Ideal for honing hardened steel blades, use on your chosen honing block/strop, felt, leather or wood. This honing compound, is one of the most effective on the market. It is primarily aluminum oxide blended with other fine abrasives to give the best combination of cutting speed and fine, mirror finish with a light wax film. The bonding is specially formulated for ease of charging, it can be used for final honing of almost any tool. 180g bar.

	Inc.vat	Ex.vat	Code
Honing Compound	£9.44	£7.87	477070



Connell Double Sided Leather Strop

Sharpening or honing removes metal from the bevel, whereas stropping burnishes and polishes. This double sided strop measures 200 x 65mm, suitable for the majority of chisels and plane irons. A bar of special honing compound is included. The design allows its use with the DMT DuoSharp base. A version is available including the base. The strop only requires a minimal amount of compound. Only charge one side of the strop with compound. Work the blade on the charged side first then finish on the uncharged side. Stropping ensures the point where bevel and back meet is as smooth as possible, resulting in the sharpest of edges.

	Inc.vat	Ex.vat	Code
Strop with Paste	£11.94	£9.95	502500
Strop with Paste & Stand	£37.44	£31.20	502390



Flexcut SlipStrop

Produced for honing and maintaining the edges on both the inside and outside of gouges and vee tools, the Flexcut SlipStrop consists of a complex moulding with two areas of leather and a bar of a specially developed honing compound. The compound is available separately for those wishing to use it on their existing strop. In use, the particular part of the moulding most suited to the chosen tool is rubbed crayon-like with compound and the tool stropped. A mirror finish is achieved quickly, and the resulting razor edge can be maintained by repeating the process many times before resharping is required. Use for gouges and vee tools both inside and outside.

	Inc.vat	Ex.vat	Code
SlipStrop c/w Compound	£13.74	£11.45	717455
Polishing Compound	£7.44	£6.20	510075

Flexcut Knife Strop

Although Flexcut call this a knife strop, it can also be used for other edge tools just as effectively. If a blade has already been honed, it will benefit from stropping to polish the steel further and give an extra degree of sharpness. Regular stropping of a blade means less honing which saves time and effort. Supplied with a block of Flexcut Gold Polishing Compound for a razor edge.

	Inc.vat	Ex.vat	Code
Knife Strop	£11.95	£9.96	504666

Flexcut Powerstrop Leather Wheels

Although designed with carvers in mind the benefits of hard leather honing wheels can be used to refine a full range of the sharp edge tools. The Standard kit contains a block of honing compound and one flat faced 90 x 20mm wide leather honing wheel. The Deluxe kit contains a block of compound and two 90mm hard leather honing wheels, one flat faced 20mm wide the other with a narrow 60° vee edge. The wheels are arbor mounted for fitting to a drill, pillar drill etc. Unlike polishing mops and other softer surfaces, which can round over the edge being honed, hard leather wheels are better at holding a straight line and maintaining a precise edge.

	Inc.vat	Ex.vat	Code
Standard Kit	£23.45	£19.54	475523
Deluxe Kit	£38.24	£31.87	307020

Waterstones

Japanese Combination Waterstones


For anyone who has not used a Japanese waterstone before then a combination provides a good introduction. Size 200 x 50 x 25mm.



	Inc.vat	Ex.vat	Code
250/1,000 Grit	£24.44	£20.37	510468
1,000/6,000 Grit	£33.95	£28.29	510469

Japanese Coarse Waterstones

The very coarse 240 grit stone cuts with amazing speed, but as is the nature of these stones, wears somewhat quicker than an oilstone. However, it can easily be re-trued, so this massive 205 x 75 x 50mm lump is going to last a long time. Use for badly nicked edges. Slightly smoother is the 400 grit stone (205 x 75 x 50mm), excellent for reforming the bevels on worn plane irons and chisels.



	Inc.vat	Ex.vat	Code
240 Grit	£46.44	£38.70	384028
400 Grit	£55.94	£46.62	500279

Japanese Med/Coarse Waterstone

This 800 grit stone is a top quality Ice Bear brand stone and a real must in the waterstone armoury. Used to flatten the backs of blades and form the edge, it leaves the metal dull but smooth. Size 200mm x 63mm x 30mm.



	Inc.vat	Ex.vat	Code
800 Grit	£25.44	£21.20	510466

Japanese Medium Waterstone


Medium 1,200 grit waterstones are used to remove scratches and further refine and partly polish the surface following honing on a coarse stone. The Ice Bear brand medium stone measures 200 x 63 x 30mm, the extra width allowing them to accommodate a 2.3/8" wide plane iron.



	Inc.vat	Ex.vat	Code
1,200 Grit	£25.44	£21.20	510464

Japanese Fine & Polishing Waterstones

These are superfine grits. The stones are used to bring the metal to an absolute mirror finish, and hence an ultra sharp edge. These stones are hard and so only need to be sprinkled with water just before use, and left dry at all other times. They are mounted on bases, the 4,000 and 6,000 grit are 190mm x 63mm x 19mm, the 10,000 grit 200mm x 75mm x 25mm. The 10,000 grit stone is supplied with a Nagura stone.



	Inc.vat	Ex.vat	Code
4,000 Grit	£26.94	£22.45	384022
6,000 Grit	£41.94	£34.95	510465
10,000 Grit	£93.95	£78.29	384033

Axminster Spray Bottle

The spray head can be adjusted from a powerful jet to a gentle mist spray pattern. Very useful if you sharpen your tools with waterstones or diamond stones.



	Inc.vat	Ex.vat	Code
Spray - 750ml	£2.26	£1.88	718492

Ice Bear Waterstone Sharpening Kit

There is no better kit for someone sharpening with waterstones for the first time. The kit contains a 200mm(8") by 62mm(2.1/2") 800 grit stone for initial grinding, a 175mm(7") by 62mm(2.1/2") 6,000 grit fine finishing stone, a non-skid waterstone holder and a Nagura stone for cleaning off the glazed surface of the fine stone. All you need to get started.

	Inc.vat	Ex.vat	Code
Sharpening Kit	£76.44	£63.70	810204

Bester

Imanishi Waterstones

BESTER waterstones, manufactured by Imanishi in Kyoto, Japan have almost become the standard with Japanese professional woodworkers. They feature a moderately strong bond that allows abrasive particles release quickly, maintaining a fast cutting rate, yet resist wear. These stones behave similarly to a natural stone, the feedback tells you how fast they cut. Tests have shown they abrade O1, A2 and M2 steels at a rapid rate and remain flat just as long as slower cutting stones with stronger bonds. Bester 1,000 grit stones have a vitrified bond and should be soaked for about 15 minutes before use. The fine 4,000 and 8,000 grit resin-bonded Imanishi stones need just a quick spray. Overall dimensions are 205mm x 75mm x 25mm.




	Inc.vat	Ex.vat	Code
Waterstone 1,000 Grit	£45.44	£37.87	502267
Waterstone 4,000 Grit	£53.45	£44.54	502269
Waterstone 8,000 Grit	£77.94	£64.95	502270
Waterstone 1,000/6,000 Grit	£66.95	£55.79	502271



Sigma Japanese Ceramic Waterstones

Originally designed for sharpening high alloy steels, these stones perform very well on the toughest steels. Significantly faster, they are between two and five times faster than waterstones that have less durable abrasive or stronger bonds. Sintered under heat and pressure, a Sigma stone readily releases new, aggressive particles during use. The 1,000 grit produces a primary bevel, the 3,000 grit quickly establishes a micro-bevel and the 10,000 grit provides a fine finish. All require only a few minutes of soaking before use, do not keep in water.



	Inc.vat	Ex.vat	Code
Ceramic Waterstone 1,000 Grit	£63.44	£52.87	502272
Ceramic Waterstone 3,000 Grit	£67.94	£56.62	502273
Ceramic Waterstone 10,000 Grit	£106.44	£88.70	502274



Axminster Non-Skid Holder

Made to hold waterstones up to 210mm(8.1/4") in length. Rubber holders at either end, one fixed and one sliding, which can be tightened by means of two knurled screws to hold the waterstone firmly but gently. A central rubber block provides extra support. Grips on the underside prevent your waterstone walking away whilst you are trying to sharpen a blade. Also suitable for oil stones and diamond stones.

	Inc.vat	Ex.vat	Code
Non-Skid Holder	£13.94	£11.62	417123

Veritas

Waterstone Pond

A compact and comprehensive system for both the use and storage of waterstones up to 300mm long. Twin clamping arms hold both coarse and fine stones at the same time. When not in use a cover keeps the stones clean. The large base unit has room enough for three or more stones. Manufactured from tough, rigid ABS with all metal parts in non-corrosive stainless steel and anodised aluminium. The cover consists of a tempered glass plate backed with laminate which can be used in conjunction with 90 grit silicon carbide (supplied) to lap the stones to a flatness of plus or minus 0.001" per inch of stone length.



	Inc.vat	Ex.vat	Code
Stone Pond	£61.94	£51.62	600318

Japanese Nagura Stone


Used for cleaning a glazed surface or creating a slurry prior to honing on finer stones, thereby speeding up the process. These artificial Nagura stones are the equivalent of the 8,000 gold stone and therefore there will not be a problem with particle contamination when used on other grit stones. Size: 70 x 20 x 23mm



	Inc.vat	Ex.vat	Code
Nagura Stone	£3.44	£2.87	510470

Ice Bear Ceramic Flattening Stone


Amongst the many advantages of sharpening tools with a Japanese waterstone is the ease of flattening or resurfacing of the stone. This gives the user the option of always sharpening on a flat surface, thus obtaining the very best results. Use this new 150 grit ceramic stone to regularly dress the stone. The hard ceramic particles and bond means it will never wear out in normal use. Keep one to hand and use frequently by just rubbing it with a circular motion across the top of the waterstone. Size 155 x 52 x 25mm.



	Inc.vat	Ex.vat	Code
Flattening Stone	£16.94	£14.12	368770

DMT Dia Flat Lapping Plate

The DMT Dia-Flat™ Lapping Plate will flatten most sharpening stones, waterstones, oilstones or Arkansas stones. It is a combination of supreme flatness and DMT's Diamond Hardcoat Technology™. It will outlast any other diamond coating on the market. DMT individually inspect EVERY Lapping Plate to make sure it meets strict specifications. Each plate includes a certificate for flatness, guaranteed to be less than ±0.0127mm across its surface. The 120-micron surface cuts fast and produces excellent results. Size 254 x 102 x 10mm.



	Inc.vat	Ex.vat	Code
Dia Flat Lapping Plate	£214.94	£179.12	502408

Oil Stones



Stanley Combination Oilstone Sharpening Kit

A good starter kit for general purpose plane blades and chisels. Contains double-sided (Fine/Coarse) silicon carbide stone, honing guide and lubricating oil in a refillable plastic container. Complete with pictorial instructions. Size 200 x 50mm.

	Inc.vat	Ex.vat	Code
Oilstone Kit	£15.74	£13.12	360500



Norton India Oilstones

Top quality bench stones made from aluminium oxide, 200 x 50 x 25mm.

	Inc.vat	Ex.vat	Code
Oilstone c/w Honing Oil	£31.94	£26.62	403604
Oilstone - Fine	£29.94	£24.95	510228

Norton Honing Oil

Highly refined lubricating oil specifically formulated for sharpening stone use, equally suited to lubricating jobs requiring a very fine oil. It will not 'gum up' sharpening stones. Pure mineral oil, supplied in an easy to dispense can 133ml(4.5fioz).



	Inc.vat	Ex.vat	Code
Oil 133ml(4.5fioz)	£4.14	£3.45	202282

Liberon Honing Oil

Firstly let us congratulate Liberon, they have developed their Lib Net wax cleaner into an excellent honing oil. It is both light and non-drying but has the added advantage of cleaning the stone as it is being used. Oil stones, clogged by years of use with any old oil can be revived by simply switching to Liberon honing oil as the preferred choice. Full marks to the team at Liberon!



	Inc.vat	Ex.vat	Code
250ml	£7.34	£6.12	600156

Wooden Oil Stone Box

This solid beech wood box has a fitted lid to protect your stone when not in use. Made to take a 200 x 50 x 25mm oil stone, it can be trimmed or packed out to accommodate variations in oil stone sizes.

	Inc.vat	Ex.vat	Code
Oil Stone Box	£9.44	£7.87	400420



veritas

Blade & stone not included

Veritas Mk.II Honing System

The main feature of the Veritas Mk.II is its blade registration system squaring and setting the blade in one easy step. The Mk.II Guide has three bevel angle range configurations: a high angle (25° to 54° in seven increments), standard (15° to 40° in six increments), and a third for back bevels. The registration jig slides onto the guide body, centering and squaring the blade using an integral fence. The clamping mechanism registers on the face of the blade and is designed to accept flat and tapered blades, as well as blades with irregular geometry. The Mk.II features a three-position eccentric roller allowing a micro-bevel to be honed quickly and accurately after only a simple turn of a knob. The 50mm wide roller is stable for even the narrowest of blades. The guide can easily accommodate chisels or blades from 6 to 72mm wide and up to 13mm thick including spokeshave blades. **Sharpening stone not included.**

	Inc.vat	Ex.vat	Code
Honing System	£59.94	£49.95	200810

veritas

Veritas Camber Roller

This is an attachment specifically designed for use with the Veritas Mk.II Honing Guide. When planing on large, flat surfaces, it is often desirable to hone a slight curve, or camber, into the edge of the blade. The Veritas Camber Roller Assembly has a barrel-shaped roller that allows limited rocking, whilst still maintaining an accurate and consistent bevel angle. Simply replace the standard roller assembly with the camber assembly and sharpen. The blade is still set using the registration jig, and the camber roller includes the standard eccentric system allowing micro-bevels to be honed.

	Inc.vat	Ex.vat	Code
Camber Roller	£21.95	£18.29	202489

veritas

Veritas Skew Registration Jig

An accessory for the Veritas Mk.II honing guide, it is used in place of the standard 90° jig to set both skew and bevel angles, left and right on chisel and plane blades. The jig's aluminium base has the angles laser etched from 10° to 45° in 5° increments plus 18°, 22° and 28° marks. Bevel angle settings allow for 20°, 25°, 30° and 35° bevels.

	Inc.vat	Ex.vat	Code
Jig	£28.94	£24.12	202390

veritas

Veritas Jointer Blade Sharpener

The Veritas jointer blade sharpener is designed to restore blades dulled from normal use, even if they contain minor nicks. It clamps blades up to 200mm(8") long (including hand-plane blades) for sharpening on Wet & Dry abrasives. Just stick the abrasive to a flat surface (plate glass works well), adjust the elevating screw until the bevel is flat on the abrasive and use it as you would any other honing guide. After basic sharpening, switch to a fine abrasive and hone a fine micro-bevel. Two position stops ensure that successive blades are honed identically. Made in Canada, cast aluminum with brass and steel fittings.

	Inc.vat	Ex.vat	Code
Jointer Blade Sharpener	£63.95	£53.29	474855



Honing Guides

Axminster Deluxe Honing Guide

Two special features turn this from a humble honing guide into a deluxe model. Firstly, the roller assembly can be easily removed, allowing the jig to be used in conjunction with a bench grinder and, secondly the brass roller itself is 38mm(1.1/2") long, so no worries about it wearing a groove in your stone. On the upper surface a series of lines enable the blade's squareness to the jig to be easily checked. We found a blade projection of about 38mm(1.1/2") gave a good bevel angle.

	Inc.vat	Ex.vat	Code
Honing Guide	£11.94	£9.95	510008

Axminster Honing Guide

Takes the guesswork out of setting bevel angles. The angle is determined by the blade projection from the front of the guide and a flat, square bevel of constant angle is produced every time. It can be used for bevel edge or firmer chisels and plane irons. Capacity 3mm(1/8") to 75mm(3"). All metal construction.

	Inc.vat	Ex.vat	Code
Honing Guide	£7.74	£6.45	340147

Veritas Small Blade Holder

Because of the difficulty holding short blades such as those found in most spokeshaves, instrument makers' planes, etc., sharpening them has been difficult. The Veritas small-blade holder solves this effectively and safely by securing the blade using two powerful rare-earth magnets embedded into anodised aluminum and an adjustable stop block. In effect, it transforms your short blade into something larger (38mm wide x 100mm long) that can be effectively held for sharpening, either by hand or by mounting in a honing guide.

	Inc.vat	Ex.vat	Code
Blade Holder	£18.44	£15.37	475978



Axminster Deluxe Angle Checker

Always keep this angle reference close to hand when grinding or sharpening to check your bevels are at the correct angle. Ours is laser cut from 3mm thick stainless steel for guaranteed accuracy and durability. Each notch has an engineer's corner ensuring full contact. The eight angles provided are: 15°, 20°, 25°, 30°, 35°, 45°, 50° and 70°, which should cover most eventualities.

	Inc.vat	Ex.vat	Code
Angle Checker	£4.45	£3.71	950935

veritas

Veritas Bevel Gauge

A good bevel gauge is truly handy for quickly checking the grind angle of chisels, plane blades, turning tools, etc. A quick check confirms the angle last used for grinding or honing so that the edge geometry can be maintained. The Veritas bevel gauge has seven individual slots that will measure the most commonly used angles from 15° to 45° in 5° increments. The pocket-sized disc is 62mm in diameter with a central hole for hanging it on a nail. Made in USA.

	Inc.vat	Ex.vat	Code
Bevel Gauge	£7.04	£5.87	477398



Knife Sharpeners



AccuSharp Knife & Tool Sharpener

A very effective, easy to use and safe knife sharpener. The Accusharp will sharpen kitchen knives, pocket knives, utility knives and axes. The solid tungsten carbide blades are reversible, giving this sharpener literally years of useful life.

	Inc.vat	Ex.vat	Code
Sharpener	£12.44	£10.37	400001



Chestnut Tools Universal Blade Sharpener

The sub-micron tungsten carbide blade sharpens to a smooth finish requiring very little force. Axes, hoes, knives of all sorts, scissors, etc. are all suitable candidates. We found it particularly useful for touching up utility knife blades. Half a dozen strokes on each side brought the edge easily back to new if not better. The slim tip is ideal for curved blades such as curved blade pruners. Supplied with simple instructions, the folding blade, locks open, the stainless-steel body has anodised aluminium scales with a belt clip.

	Inc.vat	Ex.vat	Code
Universal Blade Sharpener	£19.94	£16.62	502367

Tool Care

Camellia Oil and Applicator

Imported from Japan, camellia oil is a natural vegetable oil that has been used for centuries by Japanese craftsmen as protection against corrosion. For practical purposes the natural camellia oil is blended with other light oils to produce a low viscosity protective oil. It has a pleasant smell and used regularly forms an effective barrier against rust and corrosion. Available in a pump spray bottle 240ml. For the more frugal, we also offer a camellia oil applicator or Abura-Tsubo, which is like a giant felt tip marker as oil soaks into the 'nib' by capillary action; simply unscrew the red cap and use to paint a thin layer of protective oil onto a metal surface.

	Inc.vat	Ex.vat	Code
Camellia Oil (240ml)	£16.94	£14.12	510018
Oil Applicator	£12.95	£10.79	300317

Restore Rust Remover

Restore rusty steel and iron components and tools.

1. Degreaser - A powerful water-soluble formulation removes oil and grease from tools and machinery. Used prior to de-rusting. Economical 250ml dilutes to make up to 5 litres of solution.

2. Rust Remover - Non-acidic, water-based formula only removes the rust and is harmless to plastics, rubbers and non-ferrous metals. It protects against further corrosion. Dilute up to 20:1 using a polythene or stainless steel container as a de-rusting bath. Degrease the item first, remove loose rust then suspend it in the bath. Once clear of rust rinse, clean and dry.

3. Rust Remover Gel - To remove rust from larger surfaces such as circular and bandsaw tables etc. Use the gel version of Restore Rust Remover. Applied with a scouring pad (not supplied) it is extremely fast working, in most cases taking a few minutes.

All the above products are biodegradable, non-toxic, water-based formulations.

	Inc.vat	Ex.vat	Code
Pre-Clean Degreaser 250ml	£13.44	£11.20	211832
Rust Remover 250ml	£16.44	£13.70	211833
Rust Remover Gel 250ml	£16.44	£13.70	211834

Tool Care Kit

Put together and chosen to help keep planes and many other fine tools in tip top condition. The care kit consists of a fine grade rubberised abrasive block, 250ml Camellia Oil and a special oil applicator.

	Inc.vat	Ex.vat	Code
Tool Care Kit	£32.95	£27.46	719725



Garryflex Abrasive Cleaning Block

Made for removing light rust or tarnish and restoring a bright metal finish particularly to cast iron and steel. Garryflex is a block approximately 80mm x 50mm x 20mm made of a rubber like compound impregnated with silicon carbide abrasive particles. Available in coarse 60g (Blue), medium 120g (Dk Grey) and fine 240g (Brown). The blocks can be used dry but for best results use a lubricant such as water, paraffin, oil, camellia oil etc. (Do not use WD40 or similar as these tend to eat away at the compound). Garryflex blocks can also be cut to shape if necessary; the amount of elbow grease used with this product is entirely optional.

	Inc.vat	Ex.vat	Code
Coarse 60 Grit	£5.75	£4.79	272789
Medium 120 Grit	£5.75	£4.79	272053
Fine 240 Grit	£5.75	£4.79	272364
All 3 Blocks	£15.95	£13.29	719427

ToolGuard VCI

For protecting tools in confined spaces such as cupboards and tool boxes against the damaging effects of damp and condensation; each Tool Guard pad starts emitting its protective vapour as soon as you remove the lid of its container. Larger machines and components can be protected by containing them within a plastic bag and placing several VCIs strategically within the bag. Each pad will provide up to 12 months protection in volumes up to 2 cubic feet.

	Inc.vat	Ex.vat	Code
Pack of 3	£11.94	£9.95	701615
Pack of 10	£29.94	£24.95	701616

MetalGuard Ultra Anti Rust Coating

Tried and tested under stringent conditions and valued by a diverse group of tool users for its exceptional protection to all metals. It is used as a very effective defence against corrosion and the effects of damp conditions for up to two years, is easily wiped clean and is free from silicone content. This is an outstanding product complying with MOD and NATO standards.

	Inc.vat	Ex.vat	Code
250ml tin	£15.44	£12.87	701617

ProtecTool Wax Polish

ProtecTool wax is a soft-paste wax specifically for protecting steel and iron. It contains a unique blend of powerful contact corrosion inhibitors.

	Inc.vat	Ex.vat	Code
ProtecTool Wax Polish 100ml	£10.94	£9.12	211835

Drill Bit Sharpening

PROXXON



Proxxon BSG 220 Drill Sharpener

At last, a simple and effective drill bit sharpening machine which is easy to operate and which will produce standard 118° drill points accurately every time. The drill bit is clamped into the movable carriage, advanced up to the grinding wheel and the carriage is moved from left to right to produce an accurately ground relief angle; a repeat operation with the carriage rotated about its axis produces a perfectly matched second relief angle. The carborundum wheel, which is rotated at 8,000rpm by the quiet 85W motor, will sharpen carbon steel and high speed steel bits from 3mm to 13mm in diameter. A dressing stone for re-truing the wheel is included; full instructions are also supplied.

	Inc.vat	Ex.vat	Code
Drill Sharpener 230V	£179.94	£149.95	341081

Axminster Drill Grinding Attachment

The grinding attachment is bolted or screwed onto the bench adjacent to the side face of the grinding wheel and provides a convenient way of re-sharpening drill points to the correct angle. Complete with instructions for set-up and use. Full range of point angles can be ground with correct angle and clearance for efficient cutting. Capacity 3mm(1/8") to 19mm(3/4") bit diameter and minimum length of 75mm(3"). **Wear eye protection.**

	Inc.vat	Ex.vat	Code
Grinding Attachment	£18.44	£15.37	340161



Proxxon SP/E Grinding & Polishing Machine

With electronic speed control from 3,000 to 9,000 rpm or 8 to 24m/sec with standard wheels. The slim housing facilitates the grinding of long workpieces and includes an adapter to connect a vacuum cleaner to the unit. The tool rests and eye guards are both adjustable. A spindle lock eases the changing of wheels and discs. Supplied with a 50mm x 13mm corundum (grade N) and silicon carbide (soft compound) disc for general grinding and sharpening of hard materials respectively. The right hand drive accepts the polishing arbour supplied as standard. Wheels 50 x 13 x 12.7mm. Motor 230V. Insulated to class 2.

	Inc.vat	Ex.vat	Code
SP/E Grinding & Polishing Machine 230V	£79.94	£66.62	474739
Polishing Set (50mm dia.) for SP/E	£22.94	£19.12	475860

Water Slip Stones

Japanese Carver's Stone

A set of two 4000 grit waterstones. Firstly, a 108 x 63.5 x 16mm block with 5 shallow rounded grooves on one side for sharpening the bevels of a wide range of sweeps of carving tools, the reverse side and edges can obviously be used for flat tools. Secondly, a small slip stone 63.5 x 38mm tapered with two round edges 3 x 6mm radius for inside small tools etc.

	Inc.vat	Ex.vat	Code
Waterstone Set	£21.95	£18.29	384025



Gouge Sharpening Cone

Japanese waterstones made from aluminium oxide. Length 150mm, tapering from 50mm to 13mm with one side convex and the other concave, making them highly suitable for sharpening either incannel or outcannel gouges.

	Inc.vat	Ex.vat	Code
1,000 Grit	£35.94	£29.95	900257
4,000 Grit	£39.95	£33.29	900258



Traditional Shaped Water Slip Stones

100mm(4") long 50mm(2") wide. 1 edge 6mm(1/4") radius, 1 edge 3mm(1/8") radius.

	Inc.vat	Ex.vat	Code
1,000 Grit	£13.44	£11.20	900263
4,000 Grit	£16.94	£14.12	900264
8,000 Grit	£28.94	£24.12	900265



Multiform Water Slip Stone

On one edge the radius changes from 13mm(1/2") to 3mm(1/8") over its length. The opposite edge is tapered at an angle of about 40° making it ideal for sharpening the inside of parting tools. The overall design allows the sharpening of a wide variety of tools from flat and wide to small narrow gouges and all vee tools. Size 106(4.1/4) long x 50(2) wide x 9.5mm(3/8") thick. Also available in 180 grit for removing nicks.

	Inc.vat	Ex.vat	Code
180 Grit	£18.44	£15.37	900260
1,000 Grit	£16.94	£14.12	900259
4,000 Grit	£19.94	£16.62	900261

Oil Slip Stones




Norton India Oil Slip Stones

Made from aluminium oxide. Quick cutting action with good shape retention.

510229 - L=4", W=1", R1=7/16", R2=3/16"
510230 - L=4", W=1.3/4", R1=1/2", R2=3/16"

	Inc.vat	Ex.vat	Code
Small Slip Stone - S14	£10.14	£8.45	510229
Large Slip Stone - S44	£13.94	£11.62	510230



Henry Taylor Slip Stone Set

Set of two oil stones. Two sizes cover a range of gouges:

Large stone - 4.1/2" x 1.3/4" x 1/2" x 3/16"
Small stone - 2.1/4" x 7/8" x 3/16" x 1/16"

	Inc.vat	Ex.vat	Code
Medium Slip Stones	£14.45	£12.04	910185

Power Honing



Creusen Reverse Running Grinder


This is a standard Creusen 7000 Series grinder but modified to run in the opposite direction to normal i.e. with the top of the wheel going away from, rather than towards, the user. It is used in the Creusen Koch System described below but offered here as a bare grinder without any wheels for those who want to make up their own honing, polishing or sharpening system. It is supplied complete with guards, tool rests, wheel clamping washers and eye shields and will take wheels of maximum diameter 150mm(6") and maximum width 20mm(3/4"). The shaft diameter is 15mm.

	Inc.vat	Ex.vat	Code
Reverse Grinder	£192.95	£160.79	001760

Creusen/Koch Honing System

A first class honing system which combines the efficiency and reliability of a reverse running Creusen grinder with the famous German Koch honing wheels. The hard white honing wheel is for straight edges and shallow curved tools and the brown, more flexible wheel for curved edged tools. Also included is a block of Koch green honing soap for use on the wheels. Producing a true mirror-polished edge on your carving tools is simplicity itself, just apply a small amount of soap to the wheel and then gently apply the bevel of the tool to the top of the wheel to produce a razor-sharp polished edge. Wheel size: 120mm diameter x 20mm width, with a 9.5mm bore. N.B. The Koch felt honing wheels will require the simple drilling/reaming of the central hole before fitting to the shaft of the grinder.

	Inc.vat	Ex.vat	Code
Honing System	£219.95	£183.29	310042



Koch Felt Honing Wheels

These are the felt wheels fitted to the Creusen Koch sharpening system here available separately. The white medium felt wheel is used for straight or gently curved carving tools and the brown wheel has a unique thermoplastic characteristic which enables it to deform when in use and to take up the shape of more curved tools. The wheels have a diameter of 120mm and a width of 20mm. The 8mm bore can be easily drilled out to suit a motor shaft or power drill arbor. A bar of Koch green soap (approximately 1kg) should be adequate for many years of service. Don't forget that for safety's sake the wheels must rotate such that the top of the wheel moves away from the user.

	Inc.vat	Ex.vat	Code
White Wheel 120 x 20mm	£13.94	£11.62	510486
Brown Wheel 120 x 20mm	£11.94	£9.95	510487



Koch Honing System - Green Soap 1kg

A bar of Koch green soap (approximately 1kg) should be adequate for many years' service.

	Inc.vat	Ex.vat	Code
1kg Koch Green Soap	£10.44	£8.70	510488

The Ultimate Sharpening System

Acme Thread Universal Support with minimum play so you can sharpen with accuracy and perfect repeatability.



NVR system

★★★★★ Five star review

"This machine is fantastic, a real pleasure to use. My tools have never been so sharp. After sharpening our kitchen knives my wife asked me to blunt them a bit claiming they were too sharp!!! That good. Many thanks for a really well built, heavy duty machine."

Tormek T-7 Water Cooled Sharpening System c/w NVR Switch

The Tormek T-7 is unmatched for precision and stability and a first choice among amateurs and professionals alike. With this machine you get access to the full Tormek jig system, even the larger jigs SVH-320 for jointer/planer blades and SVP-80 for moulding knives.

The powerful industrial AC motor guarantees maintenance free operation. It maintains RPM even under heavy load, which is needed when shaping larger tools. Thanks to the unique Tormek gear system with a self adjusting force control, the system never uses higher force than needed to ensure long life.

The 250mm Tormek Original Grindstone is developed to combine efficient steel removal, smooth surface finish and long life. Tools can be sharpened either with the stone cutting towards the edge or by using the XB-100 support base, grinding away from the edge (preferable in some cases, especially with carving tools). Universal support with micro-adjust which makes setting up or replicating a sharpening angle both easy and highly accurate.

This machine has a steady steel housing with heavy duty ED coating, which gives the strongest corrosion protection there is (the same is used for heavy vehicle chassis), meeting ELV and RoHS directives.

The elegant Tormek stainless steel EzyLock mounting enables stone changes without a spanner. The main shaft and hardware are also in stainless steel. Other features include an advanced water trough with magnets and removable chute, safety NVR switch and handle for easy carrying.

The T-7 package includes the patented SE-76 Square Edge Jig and all you need to keep the stone in perfect condition: the TT-50 Truing Tool and SP650 Stone Grader. Also included are the WM-200 Angle Master, PA-70 Honing Compound, Tormek Handbook and DVD – are all packed in a permanent storage box. This machine is truly built to last and comes with a full 7 year warranty also valid for commercial use. Register your T-7 now and you will get a 10 year warranty!



Specifications	
Model	T-7
Power	200W
Wheel Diameter	250mm
Wheel Width	50mm
Overall L x W x H	270 x 250 x 325mm
Weight	14.2kg

	Inc.vat	Ex.vat	Code
T-7 Sharpening System with NVR Switch 230V	£499.94	£416.62	502867
T7 + HTK-705 Hand tools Kit	£599.95	£499.96	718090
T7 + TNT-708 Woodturner's Kit	£699.95	£583.29	718091
T-7 Hand & Woodturner's Kits	£829.96	£691.63	718092


- ✓ **Sharpen all your edge tools**
With the wide range of Tormek patented jigs, you can sharpen practically all types of edge tools.
- ✓ **Exact replication**
The key word when sharpening the Tormek way is repeatability. Even complicated shapes are easily re-sharpened.
- ✓ **Cleanest edges**
The water cooled Tormek Grindstone will create a very nice edge. You finish the sharpening by honing away the burr and polish the bevel on the leather honing wheel.
- ✓ **Fast sharpening**
Once the shape is created, you remove only a fraction of the steel when re-sharpening, which makes it a quick job.

- ✓ **Full control**
You have full control and remove no more steel than necessary. Your tools will last longer.
- ✓ **No risk of overheating**
There is no risk that the edge becomes overheated and loses its hardness.
- ✓ **Safe and quiet**
No sparks are produced. Worn steel particles are deposited into the water trough keeping the air clear of grinding dust.
- ✓ **Quality and performance**
Buying a Tormek is a safe investment in quality and performance. You are assured that all future developments will fit your machine.

Tormek SE-76 Square Edge Jig

For plane irons and wood chisels. This second generation Tormek design makes it easy to mount the tool straight in the jig. Safety stops prevent the tool from slipping off the stone.

Max tool width 76mm (3"), max tool thickness 9mm (3/8").




The jig lines up the chisel to its upper, flat side which ensures a 90° angle towards the stone.

	Inc.vat	Ex.vat	Code
SE-76 Jig	£44.94	£37.45	701803

Tormek TT-50 Diamond Truing Device with Screw Feed

A cluster of genuine diamonds is mounted in a holder and used to dress or open the grindstone when the stone becomes grooved or uneven. It takes only a few seconds to set up and can really improve the performance of the wheel. The patented Tormek design with dual knob screw feed makes it easy to get a controlled feed across the stone for a perfect flat surface. The cutting depth is controlled by the Micro Adjust on the Universal Support.



Use approx 90 seconds across the stone. If you feed faster, you can create a rougher surface which grinds more quickly.

	Inc.vat	Ex.vat	Code
Truing Device	£65.94	£54.95	610747
Replacement Diamond Tip	£31.94	£26.62	910074

Tormek SP-650 Stone Grader

You do not want to be without this double-sided grader. Use the coarse side regularly to keep the stone open and effective.

Also, this will practically get you two grindstones in one. The fine side will change the function of the Tormek grindstone from fast grinding at 220 grit to fine grinding at a 1000 grit surface.




	Inc.vat	Ex.vat	Code
Stone Grader	£20.45	£17.04	910080

Tormek AWT-250 Advanced Water Trough

This improved design includes a removable chute to catch every drop, helping to prevent spills and mess when sharpening longer tools. Fits the Tormek T-7 and all of the Tormek 2000 series.



The incorporated magnet attracts worn steel particles and keeps your stone cleaner.



	Inc.vat	Ex.vat	Code
Advanced Water Trough for T-7	£19.94	£16.62	210294

TORMEK®

Sharpening Innovation

With the wide range of Tormek patented jigs you can sharpen practically all types of edge tools. Tormek is dedicated to developing water cooled sharpening through innovative solutions!



Hones ✓ Tools for Cabinet Making

✓ Tools for Woodturning

✓ Tools for Woodcarving

✓ General/Household



★★★★★
Five star review

"very straight forward to use, I sharpened a set of 6 chisels and 3 plane blades in around half an hour – some of the chisels needed a lot of grinding – a quick polish on the honing wheel and they had a mirror finish and will shave the hair off your arm! – So happy I got it!"


Tormek T-3 Water Cooled Sharpening System c/w NVR Switch

The T-3 model is ideal for sharpening cabinetmaking hand tools, knives, scissors and woodcarving tools. You will be certain to grind your plane irons and chisels with a perfectly square edge using the latest design jig which is included with the T-3. It also comes with the unique Tormek handbook, where you can learn everything you need to know to shape, sharpen and hone your tools to perfection. The T-3 is built in Sweden to the same quality and precision as all Tormek products in the range which ensures accuracy and ease of use. The heart of the system is a powerful industrial AC motor, which will maintain all the drive you need from start to finish. The 200mm(8") diameter stone has the Tormek EzyLock mounting for fast stone changes without a spanner. The stainless steel shaft and hardware eliminate any risk of corrosion and there is a 7 year warranty. **Supplied complete with the patented SE-76 Square Edge Jig, WM-200 Angle Master, PA-70 Honing Compound and the Tormek Handbook and DVD.**

Specifications	
Model	T-3
Power	120W
Wheel Diameter	200mm(8")
Wheel Width	40mm(1.5/8")
Overall L x W x H	230 x 200 x 260mm
Weight	7.4kg

	Inc.vat	Ex.vat	Code
Tormek T-3 c/w NVR Switch	£299.94	£249.95	502894
T-3 + HTK-705 Hand Tools Kit	£409.96	£341.63	718097
T-3 + TNT-708 Woodturner's Kit	£514.96	£429.13	718098
T-3 + Hand Tool & Woodturner's Kits	£639.95	£533.29	718099

Tormek Kits



Tormek HTK-705 Hand Tool Accessory Kit

With this kit you are ready to give your common hand tools a whole new edge. The two knife jigs will handle most knives including chef's knives, filleting knives and hobby knives. The scissors jig can be used for general sized paper scissors as well as your heavy garden shears. With the axe jig you can sharpen carving axes to an edge you did not think possible for an axe. Also included is the short tool jig for short carving tools and chisels down to 45mm. Contains the following Tormek jigs: SVM-45 Short Knife Jig, SVM-140 Long Thin Knife Jig, SVX-150 Scissor Jig, SVS-32 Short Tool Jig and SVA-170 Axe Grinding Kit. All packed in a quality storage box for bench or wall mounting.

	Inc.vat	Ex.vat	Code
Hand Tool Kit	£129.95	£108.29	701437



Tormek TNT-708 Woodturner's Accessory Kit

A comprehensive kit for the woodturner which includes the appreciated Tormek jigs and accessories at great value for money. You will be able to shape and sharpen your tools exactly to your needs and replicate your favourite profiles over and over again. Even complicated shapes such as the fingernail shaped turning gouges and oval skew chisels are easily sharpened. Contains the following Tormek jigs and accessories: SVD-185 Universal Gouge Jig, SVS-50 Multi-Jig, SVD-110 Torlock Toolrest, TTS-100 Turning Tool Setter, LA-120 Honing Wheel, MH-380 Protective Cover, TNT-300 DVD and tuition manual.

	Inc.vat	Ex.vat	Code
TNT-708 Kit	£244.94	£204.12	701439

Tormek SVM-45 Knife Jig

With this original Tormek knife jig you can sharpen most types of knives. The jaws of the clamp adjust to suit different thicknesses of blade. Restore the blade to its original edge angle or choose the angle you prefer. The jig rests freely onto the Universal Support so you can follow the curve of the blade and get an even bevel. The edge angle can be fine tuned by turning the handle. Use SVM-45 for ordinary and smaller knives down to a minimum of 70mm blade length.



Now with a slightly thinner grip which enables you to sharpen smaller knives without the jig touching the stone.

20-25°	Carving Knives	
25-30°	Filleting Knives Kitchen Knives	
30-40°	Meat and chef's knives Hunting and sport knives	

Tormek SVM-140 Knife Jig

This knife jig is developed especially for long and flexible knives, e.g. filleting knives. Its broad clamping area, 140mm (5.1/2"), stabilises a thin blade but is also suitable to use for knives with longer blades, from 160mm (6.1/4").



	Inc.vat	Ex.vat	Code
SVM-45 Short Knife Jig	£29.94	£24.95	910089
SVM-140 Long Knife Jig	£38.94	£32.45	702085
Both Jigs	£64.96	£54.13	910088

Tormek SVM-00 Small Knife Holder

The new holder works with the Tormek Knife Jig SVM-45. Your knife's handle, rather than the blade, mounts in the SVM-00 holder. The SVM-00 then clamps into the SVM-45. Using this system there is really no limit to how small a blade you can sharpen. Small knife blades are difficult to sharpen at the best of times.



NEW!

Normally sharpened free hand, consistent shape and edge angle are always a challenge. The SVM-00 opens up the ability to work with complete control on a wide range of small knives. You can now sharpen knives of different shapes for whittling, chip carving and detail work. The SVM-00 can also handle narrow chef's knives like boning or fish filleting knives. You can even sharpen small blades of folding knives with perfect control.

	Inc.vat	Ex.vat	Code
SVM-00 Small Knife Holder	£25.94	£21.62	504136

Tormek SVA-170 Axe Grinding Jig

Sharpen straight or curved axes and hatchets. Allows both bevels of an axe head to be ground at exactly the same angle over the full length of the edge (maximum head size 165mm).

Heavy rubber lined wedge stop for best grip. The rotation of the stone presses the axe firmly into the jig.



	Inc.vat	Ex.vat	Code
SVA-170 Jig	£12.24	£10.20	910081

Tormek SVP-80 Profile Knife Jig


Sharpens profiled spindle moulder knives. The knife is held securely in position with a magnet and guide pins which match the safety pin holes in the knife. The jig can be used to sharpen all makes and shapes of moulding knives with 24/30/38mm between centres up to a maximum width of 100mm. Tormek T-7 Sharpening System is recommended for this jig.



	Inc.vat	Ex.vat	Code
SVP-80 Jig	£119.94	£99.95	701403

Tormek SVS-50 Multi-Jig

This is a very comprehensive jig which can be used equally well for turning and carving tools. There are two holders provided, one for turners' skew chisels, either oval or square section, from 13mm to 35mm wide, and the other for carvers' skew chisels, parting tools, roughing gouges and wide carving gouges up to 50mm wide. Great for replication of the shape on turning skew chisels with a straight or curved edge.



Thanks to the unique Tormek design you can also easily sharpen oval section skewers.


	Inc.vat	Ex.vat	Code
SVS-50 Jig	£49.94	£41.62	910091

Tormek SVD-185 Turning Tool Jig

A real favourite. For sharpening bowl, spindle and fingernail turning gouges and most carving gouges up to 25mm (1") wide. Can be set for various lengths of the side bevel. Also for turning cutters and hollowing tools. Due to the precision, sharpening is fast, and you can get exactly the same even, symmetrical shape over and over again. Use the recommended settings or create your custom shapes. Comes with a set of labels so that you can record the jig settings for each gouge for future reference.



Online VIDEO available



If you want a rounded back you can easily grind off the heel of the bevel - just unscrew the back knob and allow the tool holder to move forwards.

	Inc.vat	Ex.vat	Code
SVD-185 Jig	£66.95	£55.79	910084

Tormek SVD-110 Toolrest

A universal tool rest that is easy to adjust and thanks to the patented design, stays just where you set it. The wide plate is just the job for the sharpening of turning scrapers, carving scrapers, inshaves, screwdrivers and re-truing of cabinet scrapers.



Fast and secure locking due to the Tormek patented design, which increases the locking force by 250%!

	Inc.vat	Ex.vat	Code
Torlock Toolrest	£26.94	£22.45	910083

Tormek SVS-32 Short Tool Jig

From Tormek comes a jig for sharpening short carving tools and chisels down to 45mm long, including power carving tools (Bosch, Proxxon, AMT etc). Used in conjunction with the Universal Support, the jig is automatically held square to the grindstone.



The flanges ensure a 90° positioning of the tools towards the grind stone.

	Inc.vat	Ex.vat	Code
SVS-32 Jig	£20.94	£17.45	910090

Tormek SVX-150 Scissor Jig

A jig from Tormek for all sizes of scissors, you can even sharpen garden shears. Two clamps hold the blade securely.




The support plate has a sliding surface so the holder with the scissors can easily be moved while it is pressed onto the plate.

	Inc.vat	Ex.vat	Code
SVX-150 Jig	£39.95	£33.29	910092

Tormek DBS-22 Drill Bit Sharpener

The Drill Bit Sharpening Attachment DBS-22 makes it possible to sharpen drill bits on your Tormek water cooled sharpening system with the highest precision. The optimal point and clearance angle can be set according to each drilling requirement in regards to drill size and material. You can restore completely worn drills as well as broken drills to a perfect shape. The drill holder as well as the guides are made with the highest precision to ensure that the lengths of the two cutting edges will be equal within close tolerances. Copes with drills from 3mm (1/8") to 22mm (7/8"). Fits all Tormek models.



You create a four facet point. The thrust force required is considerably reduced compared to a conventional cone point drill bit.

	Inc.vat	Ex.vat	Code
DBS-22 Drill Bit Sharpener	£184.94	£154.12	950970

Tormek BGM-100 Tool Rest, Jigs and Setting Gauge – Package Deal!

There is a distinction between shaping and sharpening. Once the tool is shaped, you just want to touch up the edge, never removing more steel than necessary. The time consuming initial shaping is now possible using a bench grinder in conjunction with the Tormek BGM-100 Mounting Set. With the BGM-100 you can use your Tormek jigs and setting devices on a bench grinder, giving you perfect control and making the transfer to your Tormek for final finishing simple. Contains horizontal base, universal tool support and instructions.

Online
VIDEO
available



With the BGM-100 you can use many of the Tormek jigs on your bench grinder.

	Inc.vat	Ex.vat	Code
BGK-400 Tormek Bench Grinder Kit	£154.94	£129.12	504087
Tormek BGM-100 Tool Rest	£64.94	£54.12	210952
Tormek SVD-185 Gouge Jig	£66.95	£55.79	910084
Tormek SVS-50 Multi-Jig	£49.94	£41.62	910091
Tormek TTS-100 Tool Setter	£19.94	£16.62	202517



Tormek SVH-320 Planer Knife Jig


A well designed jig used for re-grinding both guillotine blades and power planer knives of any length and minimum width of 13mm. Grinds each blade identically so they are never out of balance. This jig allows you to measure exactly how much is to be removed. Tormek T-7 is recommended for this jig.



	Inc.vat	Ex.vat	Code
SVH-320 Jig	£134.94	£112.45	910085

Tormek TTS-100 Turning Tool Setter

This unique turning tool setter enables exact replication of the edge on bowl and spindle gouges as well as on flat and oval skewers with a straight or a curved edge. The setter works with the Gouge Jig SVD-185 and the Multi-Jig SVS-50. The strength of the setter is that it works irrespective of the stone diameter and always produces the same edge angle. Built-in settings give pre-determined edge geometries as recommended by experienced turners. A real time saver!



The Turning Tools Setter TTS-100 is delivered with recipe labels so that you can easily mark your skewers, bowl and spindle gouges with the setting used.

	Inc.vat	Ex.vat	Code
TTS-100 Tool Setter	£19.94	£16.62	202517

Tormek LA-120 Profiled Leather Honing Wheel

Made of solid tanned leather for the honing and polishing of the inside of turning gouges, woodcarving gouges and V-parting tools. One disc has a radius of 3mm (1/8"), the other a 60° tip.



	Inc.vat	Ex.vat	Code
Honing Wheel	£41.94	£34.95	306015

Tormek LA-124 Optional Narrow Discs for LA-120

This set of optional extra discs has a radius of 2mm (3/32") and a 45° tip. These smaller disc profiles permit the honing of small carving tools with very narrow profiles.



	Inc.vat	Ex.vat	Code
Discs for LA-120	£27.95	£23.29	475425



Tormek EzyLock Main Shaft Kit

The kit includes an EzyLock Shaft, EzyLock Nut, two replacement nylon bearings, cross pin, stone washer and drive wheel washer. The MSK-250 fits the T-7, Tormek 2000 and any 250mm motorised Tormek of any age. The MSK-200 fits the T-3 and any other 200mm Tormek machine.

	Inc.vat	Ex.vat	Code
EzyLock Main Shaft Kit for T7	£52.94	£44.12	211102
EzyLock Main Shaft Kit for T3	£47.94	£39.95	211103

Tormek TNT-300 Woodturner's Instruction Box

Contains an 80 minute instructional DVD and a detailed handbook. Shows how to shape, sharpen and hone all your turning tools.



	Inc.vat	Ex.vat	Code
TNT-300 Instruction Box	£33.95	£28.29	701804

Tormek RB-180 Rotating Base

Enables you to easily rotate the machine 180° and lock it with complete stability. It makes it easy to alternate between sharpening and honing or sharpening towards or away from the edge. Fits all Tormek models.



Online
VIDEO
available



	Inc.vat	Ex.vat	Code
RB-180 Rotating Base	£43.94	£36.62	952887

Tormek SB-250 Blackstone Silicon Stone

The Tormek SB-250 is designed for hard materials and fast sharpening. It delivers fast steel removal on HSS and exotic alloys and can 'touch up' tungsten carbide. The key to removing material efficiently at low rpm is very sharp grains with high hardness and relatively fine grit size. The SB-250 can be graded with the stone grader for fast material removal or fine surface finish.



	Inc.vat	Ex.vat	Code
SB-250 Silicon Stone	£144.95	£120.79	702803

Tormek SJ-200 and SJ-250 Japanese Waterstone

A Japanese waterstone fitted to your Tormek delivers an extra fine finish. It excels at sharpening hand tools where a minimum of steel removal is needed and a superior surface finish is demanded. The stone is 4,000 grit and is ideal for carving tools, scissors, knives and well maintained plane irons and bench tools.



	Inc.vat	Ex.vat	Code
SJ-200 Waterstone - 200mm	£169.94	£141.62	210936
SJ-250 Waterstone - 250mm	£249.95	£208.29	702802

Tormek MH-380 Protective Cover

Protective Cover keeps dust off your Tormek Grinder and prevents it singing at night.



	Inc.vat	Ex.vat	Code
Protective Cover	£15.44	£12.87	910076

Tormek HB-10 Handbook

The appreciated Tormek Handbook explains the basics of edge tool sharpening, gives you useful tips and an easy, step by step approach to the Tormek method of sharpening. (Included with each Tormek machine).



	Inc.vat	Ex.vat	Code
147 Page Handbook HB-10	£24.44	£20.37	910075

Tormek Spares

Spares and accessories for Tormek Grinding & Sharpening System.

	Inc.vat	Ex.vat	Code
Honing Paste PA-70	£7.25	£6.04	910077
147 Page Handbook HB-10	£24.44	£20.37	910075
Pro-Anglemaster WM-200	£16.74	£13.95	368028
200mm Wheel SG-200	£79.94	£66.62	910078
250mm Wheel SG-250	£129.95	£108.29	910079
Universal Tool Support US-105	£39.95	£33.29	910093
Horizontal Base XB-100	£17.24	£14.37	910095
Tormek Instructional DVD	£11.15	£9.29	475907

Jet Wetstone Sharpener

Jet JSSG-10 Wetstone Sharpener



The lower portion of the stone runs in a bath of water. As the stone revolves it carries the water continuously over the grinding surface, thus cooling it and eliminating the risk of overheating. The grindstone runs at 90 - 150rpm, driven by a compact powerful 160W motor. Motor speed is controlled by a variable speed switch. When the grindstone diameter is 250mm, run the grinder at the lower 90rpm setting. Over time with constant use the grindstone will wear, the speed can be increased to compensate for this, so maintaining the optimum surface speed at all times.

The Sharpener includes: a Stone Grader, applying this changes the stone from coarse to fine and back again, a Straight Edge Jig for hand plane blades and chisels, an Angle Setting Jig, for precise repeatability, a Bevel Angle Measuring Device, to measure the existing bevel angle of your tools, a tube of Honing Compound for that final polished edge, the support arm to carry the jigs and adjust the angle of attack and an instructional DVD.

Model	JSSG-10
Power	Input 160W
Speed	90-150rpm
Wheel Diameter	250mm (12.7mm bore)
Wheel Width	50mm
Grit	250g
Overall L x W x H	406 x 305 x 330mm
Weight	10.5kg

	Inc.vat	Ex.vat	Code
JSSG-10 Grinder - 230V	£239.94	£199.95	200336

Jet Wetstone Stone Grader

Almost like magic. A few seconds applying the Grader to the revolving wheel, effectively turns the 250g stone into a much finer grindstone. With the stone changed in this way a much more refined edge is achievable, as the tool's edge will have much reduced grinding marks. Once finished, re-apply the Grader using its coarse side and the grindstone is magically transformed back into its original free cutting form.

	Inc.vat	Ex.vat	Code
Stone Grader	£17.94	£14.95	200415



Accessories



Jet Wetstone Bevel Angle Measuring Device

This small tool is used either to measure an existing bevel angle or check progress when re-grinding a new angle. If a certain angle is found to work well in a particular situation, the angle can be accurately measured and using the Angle Setting Jig, other tools ground exactly the same.

	Inc.vat	Ex.vat	Code
Measuring Device	£11.45	£9.54	200418



Jet Wetstone Straight Edge Jig

This jig clamps a plane iron or bevel edge chisel and keeps the blade square to the surface of the stone, ensuring a square edge to your tools.

	Inc.vat	Ex.vat	Code
Straight Edge Jig	£22.25	£18.54	200416



Jet Wetstone Angle Setting Jig

The Jet Angle Setting Jig gives repeatable accuracy when setting up to grind at a specific bevel angle. The ability to reproduce a particular angle time and time again is one of the great benefits of the Jet Wetstone Sharpener. The Angle Setting Jig not only allows complete control but is also adjustable to compensate for any decrease in wheel diameter caused by wear over time. This item is supplied as standard with a new machine.

	Inc.vat	Ex.vat	Code
Angle Setting Jig	£11.45	£9.54	200417



Jet Wetstone Small Knife Jig

For general purpose knives, paring knives, pen knife blades etc. The head of the jig allows for the acute bevels required for knives to be ground with ease. The blade is securely clamped and the final bevel angle finely adjusted by turning the jig handle clockwise or anticlockwise.

	Inc.vat	Ex.vat	Code
Small Knife Jig	£20.45	£17.04	200409

Jet Wetstone Diamond Truing Tool

Easy to use and easy to set up. Sooner or later the grindstone will need to be dressed, either due to glazing or to remove an accidental groove. The back bar of the Truing Tool prevents the diamond tipped dresser from removing more material than necessary. So dressing and truing becomes a quick and safe operation with minimal change to the wheel other than the restoration of its free grinding surface.

	Inc.vat	Ex.vat	Code
Truing Tool	£49.94	£41.62	200400

Jet Wetstone Long Knife Jig

The broad clamping area firmly secures long or thin filleting type knives. The handle rotates so the grinding angle can be fine tuned. Grind until a burr can be felt along the entire edge, then flip the jig over and grind the opposite edge to the exact same angle.

	Inc.vat	Ex.vat	Code
Long Knife Jig	£22.25	£18.54	200410

Jet Wetstone Scissor Jig

Fairly self explanatory, this jig quickly restores a keen edge to all those old pairs of blunt scissors that have been lying around for years. As an added bonus it can be used to sharpen garden shears for the start of the hedge cutting season. Twin clamps secure the blade firmly.

	Inc.vat	Ex.vat	Code
Scissor Jig	£22.94	£19.12	200406

Jet Wetstone Gouge Jig

Fully adjustable for sharpening many different types of gouge. In particular certain woodturning gouges which have long bevels or extended bevels. With this jig, complicated geometry is straight forward and more importantly, repeatable time and time again. New tools can be ground into improved profiles or to the user's preferred shape. Just as important, the Gouge Jig helps ensure a symmetrical grind, preferable to a lop-sided tool any day.

	Inc.vat	Ex.vat	Code
Gouge Jig	£19.94	£16.62	200403

Jet Wetstone Carving Tool Jig

Carving tools and other short tools such as small butt chisels are never the easiest to 'jig up'. This relatively simple jig answers the problem very well, the tool is clamped firmly and then it's a simple matter of adjusting the tool rest in height to achieve the chosen grinding angle. The internal vee shape automatically centres the tool and allows for quite narrow tools and power carving blades to be sharpened on the Jet Wetstone. This is a real must-have accessory.

	Inc.vat	Ex.vat	Code
Carving Tool Jig	£8.94	£7.45	200407

Jet Wetstone Support Arm Extension Assembly

This assembly secures to both the twin support pillars of the standard tool rest. It extends the tool rest over the full width of the machine. It gives tool support over both the grindstone and honing wheel at the same time. The user thus has access to both functions without having to reverse the standard tool bar in order to change.

	Inc.vat	Ex.vat	Code
Support Arm Extension Assembly	£13.44	£11.20	200412

Jet Wetstone Profiled Leather Honing Wheel

The wheel is made of leather laminations and profiled to make it possible to hone the bevels of out cannel carving tools, vee tools and in and out cannel firmer gouges in a variety of widths. Use in conjunction with a little honing paste. This Profiled Honing Wheel screws onto the main shaft on the same side as the standard honing wheel so both are available for use.

	Inc.vat	Ex.vat	Code
Profiled Leather Honing Wheel	£31.44	£26.20	200405

Jet Wetstone Machine Cover

High quality stitched cover protects the machine when not in use and prevents dust building up on the stone, particularly in a busy workshop environment.

	Inc.vat	Ex.vat	Code
Machine Cover	£13.44	£11.20	200411

Jet Wetstone Side Wheel Grinding Jig

An extension bar that clamps onto the tool rest support and allows for some controlled grinding to be undertaken using the side of the grinding wheel.

	Inc.vat	Ex.vat	Code
Side Wheel Grinding Jig	£8.94	£7.45	200408

Jet Wetstone Tool Rest

A most useful tool rest for sharpening many different tools. The bevel angle can be set up for those tools requiring larger angles, such as woodturning scrapers, where the angle can be almost square. The special shape of the holes through which the tool rest bar fits means this locks onto the bar very firmly providing a stable platform.

	Inc.vat	Ex.vat	Code
Tool Rest	£11.45	£9.54	200422

HoneRite Gold

Water and carbon steel are not happy bedfellows - add HoneRite Gold to the water lubricating your whetstone grinder or diamond lapping plate and all is well. Protecting both tools and machines from the effects of water, HoneRite Gold makes water non-corrosive. 250ml bottle.

	Inc.vat	Ex.vat	Code
HoneRite 250ml	£15.95	£13.29	701612

Jet Wetstone Spare Parts

Replacement parts for Jet Wetstone Sharpener.

	Inc.vat	Ex.vat	Code
Support Arm	£13.44	£11.20	200420
Leather Honing Wheel	£17.94	£14.95	200414

Wet & Dry Grinders



Axminster AWWSG Wetstone Grinder

	Inc.vat	Ex.vat	Code
AWWSG Grinder	£49.94	£41.62	400126

A dual-purpose machine, so perhaps it can be considered double the value. The right hand side is fitted with a 150mm by 20mm white dry grinding wheel running at 2,950rpm and on the left hand side is a gearbox which reduces the speed of the 200mm by 40mm wide whetstone to 120rpm. The white wheel is used for rough grinding, either to reform a bevel or for tools that do not require such a fine edge whilst the whetstone running in a bath of water guarantees that a sharp edge can be achieved without any risk of overheating.

The upper edge of the water bath has a series of notches which can be used to support the backs of knives, helping to maintain a constant grinding angle. Chisels and plane irons are simply supported on the straight top edge of the bath to set the required grinding angle.



Axminster AWDWSG Wetstone Grinder

The support bar is very similar to those fitted to much more expensive machines (Tormek/Jet etc). This allows you to use some of their accessories and jigs allowing a greater degree of accuracy when sharpening. With the 200mm by 40mm wetstone running at 120rpm and running with the bottom third immersed in water, this stone provides a sharp finish, achieved without risk of overheating the tool edge. The 150mm by 20mm white wheel runs at 2,950rpm for rough grinding. This machine provides a low cost entry level introduction to the world of the sharp tool! Supplied with a simple 60mm wide chisel holder, rubber feet, eye shield and tool rest

	Inc.vat	Ex.vat	Code
AWDWSG Grinder	£59.94	£49.95	700249

Comparison Chart - Wet & Dry Grinders

	AWWSG	AWDWSG
Model	Hobby	Hobby
Rating	250W	250W
Power	230V	230V
Voltage	Wet 120rpm, Dry 2,950rpm	Wet 120rpm, Dry 2,950rpm
Speed	Wet 200mm, Dry 150mm	Wet 200mm, Dry 150mm
Wheel Diameter	Wet 40mm, Dry 20mm	Wet 40mm, Dry 20mm
Wheel Width	Wet 16mm, Dry 13mm	Wet 16mm, Dry 13mm
Bore		

Axminster AWBGDL Wide Stone Grinder

This Axminster bench grinder is a super value-for-money machine. It features the usual general purpose grey grinding wheel on the left hand side whilst on the right is a 40mm wide 80 grit aluminium oxide white wheel, perfect for touching up edge tools. This stone is wide enough to accommodate the majority of carving, turning and general woodworking tools and, being of aluminium oxide, is less likely to burn the edge of the tool. The grinder is equipped with adjustable tool rests, spark guards, NVR switch and eye shields. An excellent machine for any keen woodworker. Wheel diameter 150mm(6"), bore 12.7mm(1/2"). Supplied with 40mm wide 80g aluminium oxide stone and a 20mm wide 36g coarse grey stone.

	Inc.vat	Ex.vat	Code
AWBGDL Grinder	£49.94	£41.62	700009

Axminster AW8G2 Heavy Duty Grinder



This is a heavy duty workshop grinder with plenty of power, good design, 200mm diameter wheels and solid construction. The base is 200 x 320mm and has four fixing points. The 900W induction motor runs exceptionally smoothly and provides adequate power for all types of grinding. The guards are very solid and have 40mm diameter outlets at the rear for connection to an extraction system. The tool rests and eye shields are robustly made, the eye shields being fully adjustable to any position. Finally, to finish off a good job the grinder is fitted with an LED work light and no-volt-release switch. Supplied with aluminium oxide 36g coarse stone, 60g medium stone.

	Inc.vat	Ex.vat	Code
AW8G2 Grinder	£119.94	£99.95	200214
Polishing Mop Adaptor	£10.44	£8.70	210953

Comparison Chart - Bench Grinders

	AW8G2	AWBGDL	AW8SRG2
Model	Trade	Hobby	Trade
Rating	900W	200W	900W
Power	230V	230V	230V
Voltage	2,950rpm	2,800rpm	1,425rpm
Speed	200mm	150mm	200mm
Wheel Diameter	32mm	20mm & 40mm	32mm
Wheel Width	31.75mm(1.1/4")	12.7mm (1/2")	31.75mm(1.1/4")
Bore	40mm	N/A	N/A
Dust Extraction Outlet	28kg	10kg	30kg
Weight			



Axminster AW8SRG2 Slow Running Grinder

This grinder is fitted with a 60g grey and a 120g white aluminium oxide wheel, both 32mm wide and well suited to the needs of the woodworker or turner. The speed is reduced to 1,425rpm thus reducing the peripheral speed and the potential to overheat the tool. Fitted with an LED worklight for enhanced visibility and a no-volt-release switch.

	Inc.vat	Ex.vat	Code
AW8SRG Grinder	£129.95	£108.29	200215
Polishing Mop Adaptor	£10.44	£8.70	210953

Accessories

Axminster Universal Bench Grinder Stand

A solid cast iron pedestal stand suitable for almost any bench grinder or other lightweight machine. It comprises a three-legged base with securing holes at the end of each foot, a heavy column and a substantial mounting platform some 265mm by 185mm in size. For use with Axminster and other makes of bench grinder. Its use can be extended to larger machines by bolting on a thick MDF top. Height is 810mm.

	Inc.vat	Ex.vat	Code
Pedestal Stand	£49.94	£41.62	340162

Veritas Tool Rest & Grinding Jig

This is a two part tool rest and grinding jig designed for mounting directly to the bench in front of either a 150mm(6") or 200mm(8") bench grinder. The 4" (100mm) table will straddle grinding wheels up to 1" (25mm) wide and can be set to the required angle using the setting gauge supplied. In the face of the rest there is a slot into which the optional straight grinding jig slides. This jig holds the tool firmly in position whilst grinding in order to give a perfectly straight edge. The positions of the jig clamping screws and the location pin can be altered to cater for different widths of tool and for setting a 30° angle for a skew chisel. The toolrest and the grinding jig can be bought as separate items or, if preferred, as a pair with a useful cost saving. As always with Veritas products this tool rest and its accessories are well thought-out and immaculately produced, and should prove to be of great use to the turner or general woodworker. Complete with full instructions.

	Inc.vat	Ex.vat	Code
Grinder Tool Rest	£53.45	£44.54	600320
Rest c/w Straight Jig	£74.45	£62.04	600321
Straight Jig Only	£24.95	£20.79	600303

Axminster Adjustable Sharpening Rest

Get the angles right every time when grinding a tool's bevel. The Axminster Sharpening Rest is suitable for most 150mm and 200mm bench grinders. The jig provides a wide stable platform on which to place the tool, it is supplied with a tool clamp that runs smoothly in a groove thus ensuring grinding is square and even. The unit can be moved back and forth on its base and with two pivot points, it is easily set to grind at almost any angle. Fix this jig onto the bench in front of the grinder and forget about the guesswork when trying to accurately reproduce a bevel angle. Takes blades up to 65mm wide.

	Inc.vat	Ex.vat	Code
Sharpening Rest	£36.44	£30.37	100245



Creusen
5 year
Warranty
available

Creusen HP7150T Powerline Grinder

The Creusen HP7150T 150mm grinders is available in either 230V or 110V. Supplied with 350W, 2,850rpm motor and two 20mm wide grey aluminium oxide grindstones, 36 grit and 80 grit. (Bore size 15mm).

	Inc.vat	Ex.vat	Code
HP7150T Grinder 230V	£176.94	£147.45	510057
HP7150T Grinder 110V	£199.94	£166.62	410200



Creusen
5 year
Warranty
available

Creusen HP7150TS Powerline Grinder

This is the most popular Creusen grinder and great for carvers, turners and general woodworkers alike. On one side is a generous 40mm wide aluminium oxide stone and on the other a 20mm coarse grey aluminium oxide stone for general grinding. With wide, fully adjustable grinding rests, high strength polycarbonate guards and additional vibration damping, this is a pleasure to own and use. Supplied with 350W 2,850rpm motor, one 40mm wide aluminium oxide grindstone 100g and one 20mm wide 80g aluminium oxide grindstone. (Bore size 15mm).

	Inc.vat	Ex.vat	Code
HP7150TS Grinder 230V	£184.94	£154.12	510059
Stone 150 x 40mm (15mm) White 60G	£35.45	£29.54	400319
Stone 150 x 40mm (15mm) White 100G	£32.94	£27.45	400321

Comparison Chart - Creusen Powerline Grinders

Model	HP7150T	HP7150TS	HP7200T	HP7500TS
Rating	Trade	Trade	Trade	Trade
Power	350W	350W	600W	350W
Speed	2,850rpm	2,850rpm	2,850rpm	1,425rpm
Wheel Diameter	150mm	150mm	200mm	150mm
Wheel Width	20mm	40mm & 20mm	25mm	40mm
Bore	15mm	15mm	15mm	15mm
Weight	9kg	10kg	15kg	11kg

Replacement Grindstones

Grindstones for Creusen Powerline

Replacement grindstones for general grinding (carborundum grey), tool sharpening (aluminium oxide white) and sharpening TCT tooling (silicon carbide green). Please check the bore size required. Bore reducing bushes are available to suit Creusen and many other brands of bench grinder.

	Inc.vat	Ex.vat	Code
150mm dia 20mm width (31.75mm) 36G	£10.25	£8.54	500372
150mm dia 20mm width (31.75mm) 60G	£10.25	£8.54	500374
150mm dia 20mm width (31.75mm) 80G	£15.24	£12.70	500380
150mm dia 20mm width (31.75mm) 120G	£17.94	£14.95	500376
200 x 25mm (15mm) Grey 36G	£36.44	£30.37	341178
150 x 40mm (15mm) White 100G	£32.94	£27.45	400321
200 x 25mm (15mm) Grey 80G	£36.44	£30.37	341179
150 x 40mm (15mm) White 60G	£35.45	£29.54	400319
31.75mm(1.1/4") to 15mm Reducing Bush	£3.24	£2.70	500401



Creusen
5 year
Warranty
available

Creusen HP7200T Powerline Grinder

A very sturdy bench grinder, ideal for heavier work and fitted with a very powerful 600W motor and 200mm diameter by 25mm wide stones. The generous fully adjustable grinding rests really do enhance this machine with the increased power making it a good machine on which to mount wire brushes or polishing mops. Supplied with two 25mm wide grey aluminium oxide grindstones 36g and 80g. (Bore size 15mm). When fitting wire brushes, the Extension Spindle (900174) and Wheel Guard Cover (200156) should be used to minimise the effect of the brush 'spreading' during use.

	Inc.vat	Ex.vat	Code
HP7200T Grinder 230V	£224.94	£187.45	510060
HP7200T Grinder 110V	£259.94	£216.62	410203



Creusen
5 year
Warranty
available

Creusen HP7500TS Powerline Grinder (Slow Speed)

In response to considerable demand, Creusen have made for us a grinder with all the attributes so often asked for by woodturners. The major difference from other grinders is the slower speed (1,425rpm), which should prevent burning on the delicate tips of turning tools. It is fitted with two 40mm wide white stones as standard (bore size 15mm, one coarse 60G and one fine 100G) and uses double locking, fully adjustable tool rests. This is not a cheap grinder but a tool with a real purpose. Please note, due to the nature of the specially wound motor, this unit does take a short while to come up to speed after being switched on. Not suitable for use with wire brushes.

	Inc.vat	Ex.vat	Code
HP7500TS Grinder 230V	£254.94	£212.45	510061
Stone 150 x 40mm (15mm) White 60G	£35.45	£29.54	400319
Stone 150 x 40mm (15mm) White 100G	£32.94	£27.45	400321

Creusen
5 year
Warranty
available

Creusen Powerline Grinders

Creusen Wall Support Stand

Support wall console for wall mounting Creusen 7000 and 8000 double-ended grinders.



	Inc.vat	Ex.vat	Code
Wall Support Stand	£59.94	£49.95	900317

Creusen Blade & Chisel Grinding Attachment

Chisel sharpening units for precise and even grinding of wide tools such as wood chisels or plane blades - fully adjustable to obtain just the required angle. Suitable for 7000 series 150mm models only.



	Inc.vat	Ex.vat	Code
Grinding Attachment	£78.95	£65.79	900196

Creusen Combined Drill, Blade and Chisel Grinding Attachment


Combined drill and chisel sharpening jigs. Suitable for Creusen 7000 150mm models only.



	Inc.vat	Ex.vat	Code
Grinding Attachment	£114.95	£95.79	900218

Creusen Extension Spindle R/H

An extension spindle to which a polishing wheel or wire brush can be fitted whilst still retaining both the standard grindstones on the grinder. Supplied with nut and flanges. Suitable for Creusen machines only.



	Inc.vat	Ex.vat	Code
RH Extension Spindle	£38.45	£32.04	900174
Wheel Guard Cover	£27.95	£23.29	200156

Creusen Extension


The best method of adding a wire wheel to an existing grinder, whilst still retaining the use of both grinding wheels. All that is required to fit the addition is for the central disc of the existing guard to be knocked out. Suitable for 7000 series 150mm models only. Right hand side only.



	Inc.vat	Ex.vat	Code
Wire Wheel & Guard	£80.94	£67.45	900493

Creusen Drill Chuck & Extension

By fitting this extension to the RH side it is possible to use a flexible drive shaft or small polishing mop etc. while still retaining both stones on the grinder. Suitable for 150mm models only. Chuck capacity 9.5mm(3/8").



	Inc.vat	Ex.vat	Code
Drill Chuck & Extension	£52.94	£44.12	900185
Wheel Guard Cover	£27.95	£23.29	200156
Flexible Shaft 1.3m	£52.94	£44.12	910258

Creusen Polishing Mop Adaptors & Guards

Tapered polishing spindle supplied with a cover plate for the bearings, a socket wrench and made with RH or LH thread for mounting either side of the grinder. Although not strictly necessary we would strongly recommend the use of a guard when using a polishing mop. Available individually, the Creusen guards can be fitted to either the right or left hand of the machine. See 'Polishing Mops & Adaptors' section for suitable mops and polishers.



	Inc.vat	Ex.vat	Code
L/H Tapered Polishing Mop Adaptor	£48.95	£40.79	900152
R/H Tapered Polishing Mop Adaptor	£48.95	£40.79	900163
150mm Polisher Guard	£44.45	£37.04	400323
200mm Polisher Guard	£50.94	£42.45	400324

Creusen Universal Bench Grinder Stand

A universal pedestal stand, 840mm high and with a 220 x 160mm mounting platform, suitable for 7000 and 8000 Series grinders. Also available is a very useful stainless steel water cup which mounts in between the grinder and the stand. The cup can be removed for cleaning and re-filling.



	Inc.vat	Ex.vat	Code
Pedestal Stand	£99.95	£83.29	370095
Water Cup	£80.94	£67.45	341170



Creusen DS8150T Professional Grinder

The DS8150T, in 230V or 415V, with 150mm diameter wheels and a 500W(230V)-600W(415V) motor, has 36 grit and 80 grit x 20mm wide standard grindstones. Fitted with fully adjustable, double locking tool rests (adjustable in depth, height and distance away from the wheel) and no-volt-release safety switches. (bore size 15mm). Not suitable for use with wire brushes.

Creusen
5 year
Warranty
available

	Inc.vat	Ex.vat	Code
DS8150T Grinder 230V	£264.95	£220.79	400192
DS8150T Grinder 415V	£264.95	£220.79	400194



Creusen DS8150TS Professional Grinder (Wide Wheel)

The DS8150TS has 150mm diameter wheels one 80 grit x 20mm wide standard stone and one 40mm wide white stone. It is fitted with fully adjustable, double locking tool rests (adjustable in depth, height and distance away from the wheel) and no-volt-release safety switches. (Bore Size 15mm). Not suitable for use with wire brushes.

Creusen
5 year
Warranty
available

	Inc.vat	Ex.vat	Code
DS8150TS Grinder 230V	£274.94	£229.12	400196



Creusen DS8200T Professional Grinder

Available in a choice of 230V single phase or 415V three phase with industrial power rating. The DS8200T, with 200mm wheels and 800W(230V)-850W(415V) motor, has 36 grit and 80 grit x 25mm standard grindstones. The DS8200T is fitted with fully adjustable, double locking tool rests (adjustable in depth, height and distance away from the wheel) and no-volt-release safety switches. (bore size 15mm). Also available is the DS8200AK (order no: 100279) that comes complete with an integrated dust extraction stand. Not suitable for use with wire brushes.

Creusen
5 year
Warranty
available

	Inc.vat	Ex.vat	Code
DS8200T Grinder 230V	£329.94	£274.95	400200
DS8200T Grinder 415V	£319.94	£266.62	400201
DS8200AK c/w Extraction Stand 230V	£889.94	£741.62	100279

DS8200AK c/w
Extraction Stand
240V (100279)

Comparison Chart - Creusen Professional Grinders

Model	DS8150T	DS8150TS	DS8200T
Rating	Industrial	Industrial	Industrial
Power	500W (230V) - 600W (415V)	500W	800W (230V) - 850W (415V)
Wheel Diameter	150mm	150mm	200mm
Wheel Width	20mm	40mm & 20mm	25mm
Bore	15mm	15mm	15mm
Weight	10kg	10.7kg	16.5kg

Dressers

Wheel Dressing Stick

Affectionately known here at Axminster as the Devil Stone, this block of coarse carborundum is used for dressing worn or unbalanced wheels especially where they have become dished or rounded by continuous use. Just hold it against the stone for a short time and it is returned to pristine condition. Size 150mm x 25mm x 25mm.

	Inc.vat	Ex.vat	Code
Dressing Stick	£3.95	£3.29	410074

Diamond Dressing Block

A very useful device for dressing across the width of grinding wheels to produce a flatter surface than with the single point dressers. The diamond dressing surface measures 40mm by 15mm and the overall length is 150mm.

	Inc.vat	Ex.vat	Code
Dressing Block	£9.44	£7.87	410057


Accessories



Creusen Wall Support Stand

Support wall console for wall mounting Creusen 7000 and 8000 double-ended grinders.

	Inc.vat	Ex.vat	Code
Wall Support Stand	£59.94	£49.95	900317



Creusen Extension Spindle R/H

An extension spindle to which a polishing wheel or wire brush can be fitted whilst still retaining both the standard grindstones on the grinder. Supplied with nut and flanges. Suitable for Creusen machines only.


	Inc.vat	Ex.vat	Code
RH Extension Spindle	£38.45	£32.04	900174
Wheel Guard Cover	£27.95	£23.29	200156



Creusen Drill Chuck & Extension

By fitting this extension to the RH side it is possible to use a flexible drive shaft or small polishing mop etc. while still retaining both stones on the grinder. Suitable for 150mm models only. Chuck capacity 9.5mm(3/8").

	Inc.vat	Ex.vat	Code
Drill Chuck & Extension	£52.94	£44.12	900185
Wheel Guard Cover	£27.95	£23.29	200156
Flexible Shaft 1.3m	£52.94	£44.12	910258



Creusen Tapered Spindles & Polishing Covers

Consists of safety guards and tapered adaptors for use with polishing mops.

	Inc.vat	Ex.vat	Code
L/H Tapered Polishing Mop Adaptor	£48.95	£40.79	900152
R/H Tapered Polishing Mop Adaptor	£48.95	£40.79	900163
150mm Polisher Guard	£44.45	£37.04	400323
200mm Polisher Guard	£50.94	£42.45	400324

Diamond Wheel Dressers

An industrial diamond embedded in a round steel bar for the rapid dressing, reshaping or deglazing of all types of grindstone.

	Inc.vat	Ex.vat	Code
6" x 3/8" 50 Carat	£4.74	£3.95	410058
6" x 1/2" 50 Carat	£5.15	£4.29	410059
8" x 1/2" 75 Carat	£5.15	£4.29	410060

Grindstones & Wire Brushes



Red Grinding Wheels

A pair of semi-frable grindstones suited to the grinding of fine edged hand tools where the risk of overheating needs to be avoided. Available in 150mm diameter 31.75mm (1.1/4") bore, 80 grit and two widths, 20mm or 25mm.

	Inc.vat	Ex.vat	Code
150mm dia 20mm width 80G	£17.94	£14.95	075001
150mm dia 25mm width 80G	£19.94	£16.62	075003

Aluminium Oxide 'White' Grinding Wheels

Recommended for general tool sharpening, these wheels have a soft ceramic bond that enables the tool to be cut freely avoiding excessive overheating when grinding. All 31.75mm bore (bore reduction bushes available).

	Inc.vat	Ex.vat	Code
150mm dia 20mm width 60G	£15.24	£12.70	500379
150mm dia 20mm width 80G	£15.24	£12.70	500380
150mm dia 20mm width 100G	£15.24	£12.70	500378

Silicon Carbide 'Green' Grinding Wheels

Replacement Silicon Carbide "Green Grit" (120 grit) Grinding wheels, suitable for TCT grinding. 200 or 150mm diameter, 20mm width and 31.75mm (1.1/4") bore (reducing bushes available).

	Inc.vat	Ex.vat	Code
150mm dia 20mm width 120G	£17.94	£14.95	500376
200mm dia 20mm width 120G	£27.95	£23.29	500384

Carborundum Grinding Wheels

Replacement Carborundum Grindstones for general grinding. 31.75mm (1.1/4") bore (bore reduction bushes available).

	Inc.vat	Ex.vat	Code
150mm dia 20mm width (31.75mm) 36G	£10.25	£8.54	500372
150mm dia 20mm width (31.75mm) 60G	£10.25	£8.54	500374

Wire Brushes for Bench Grinders

High quality wheels with 0.35mm diameter wire suitable for either 150mm (6") or 200mm (8") grinders. Please note these brushes have a standard 38mm bore and are provided with a set of bushes to reduce this to either 1", 3/4", 5/8" or 1/2". Reducing bushes are not available to allow these brushes to be fitted to Creusen grinders (i.e. 15mm bore).

	Inc.vat	Ex.vat	Code
150mm Steel Double Row	£13.44	£11.20	100486
200mm Steel Single Row	£15.95	£13.29	100490

Grinding Wheel Reduction Bushes

All the bushes have an external diameter of 31.75mm (1.1/4") and are priced per pair.

	Inc.vat	Ex.vat	Code
1.1/4" - 13mm	£3.24	£2.70	500400
1.1/4" - 15mm	£3.24	£2.70	500401
1.1/4" - 20mm	£3.24	£2.70	500403
1.1/4" - 1/2"	£3.24	£2.70	500404
1.1/4" - 3/4"	£3.24	£2.70	500405
1.1/4" - 5/8"	£3.24	£2.70	500406

Polishing Machines

Creusen



Creusen DPC7150T & DPC7200T Powerline Polisher - 230V

First class polishing machines, for either 150mm or 200mm diameter mops driven by motors with plenty of power for heavier polishing work. The units come with the polishing guard covers and tapered spindles, ready to accept whichever polishing mop is required. N.B. Polishers not supplied with polishing mops, please order separately.

Creusen
5 year
Warranty
available

Model	DPC7150T	DPC7200T
Rating	Trade	Trade
Power	350W	600W
Voltage	230V	230V
Speed	2,800rpm	2,800rpm
Wheel Diameter	150mm	200mm
Weight	6kg	8kg

	Inc.vat	Ex.vat	Code
DPC7150T 150mm Polisher	£229.94	£191.62	510062
DPC7200T 200mm Polisher	£274.94	£229.12	510064



Creusen DPC8150T & DPC8200T Professional Polisher - 230V

For the more industrial or commercial user, this polisher offers more power than the 7000 series, but in principle is otherwise very similar. The frame is a little longer and provides marginally better access around the mops. Supplied with fully guarded tapered polishing spindles on which to mount the polishing mops, it is ready to accept most standard polishing mops. If needed, the polishing spindles can be removed so that the polisher can accept parallel polishing heads as offered by such companies as 3M. Fitted with thermal overload protection.

N.B. Polishers not supplied with polishing mops, please order separately.

Creusen
5 year
Warranty
available

Model	DPC8150T	DPC8200T
Rating	Trade	Trade
Power	500W	800W
Voltage	230V	230V
Speed	2,800rpm	2,800rpm
Wheel Diameter	150mm	200mm
Weight	7kg	9kg

	Inc.vat	Ex.vat	Code
DPC8150T 150mm Polisher	£279.95	£233.29	400184
DPC8200T 200mm Polisher	£349.94	£291.62	400187



Creusen DPC9200 Industrial Polisher - 230V

A double ended polisher offered in either single phase 230V (900W) or three phase 415V (1,100W) options and supplied with tapered polishing spindles on the shaft ends as standard. They feature a 50mm dust port on polishing covers and No-Volt release switches. These machines have full industrial build quality intended for heavy duty use.

Creusen
5 year
Warranty
available

Model	DPC9200
Rating	Industrial
Power	900W (240V) - 1,100W (415V)
Speed	3,400rpm
Wheel Diameter	200mm
Weight	16kg

	Inc.vat	Ex.vat	Code
DPC9200 200mm Polisher 240V	£719.94	£599.95	400189
DPC9200 200mm Polisher 415V	£719.94	£599.95	400190

Polishing Kits

Polishing Kit for Alloys, Brass & Copper

Used with a power drill or flexible shaft, this kit provides all you need to produce a mirror finish on aluminium, brass, copper and similar soft metals. It only takes two easy steps, initially with the 100mm firm mop and brown compound, followed by the 100mm soft mop and blue compound. The kit also includes a straight arbor with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
Kit for Alloys, Brass and Copper	£16.44	£13.70	503930

Polishing Kit for Steel & Stainless Steel

Used with a power drill or flexible shaft, this kit provides all you need to produce a mirror finish on steel, stainless steel and ferrous metals. The kit contains everything needed to carry out the process in three easy stages. Firstly, a 100mm sisal mop and grey compound, followed by the 100mm firm mop and pink compound. Finally, for a high gloss mirror finish, the 100mm soft mop and blue compound. The kit also includes a straight arbor with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
Kit for Steel & Stainless Steel	£24.95	£20.79	503931

Polishing Kit for Chrome & Plated Metal

Used with a power drill or flexible shaft, this kit provides all you need to produce a mirror finish on chrome, EPNS (electro plated nickel silver) and other plated metals. The kit contains everything needed to carry out the process in two easy stages. Firstly, a 100mm firm mop and white compound, and then followed by the 100mm soft mop and white compound. The kit also includes a straight arbor with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
Kit for Chrome & Plated Metal	£14.94	£12.45	503934

Polishing Kit for Plastic & Fibreglass

Used with a power drill or flexible shaft, this kit provides all you need to produce a high gloss finish on plastics, acrylics, fibreglass and Bakelite. The kit contains everything needed to carry out the process in two easy stages. Firstly, a 100mm firm mop with brown compound and then followed by the 100mm soft mop and buff compound. The kit also includes a straight arbor with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
Kit for Plastic & Fibreglass	£16.44	£13.70	503933

Polishing Kit for Wood

Used with a power drill or flexible shaft, this kit provides all you need to produce a high gloss finish on wood. The kit contains everything needed to carry out the process in three easy stages. Firstly, an aluminium oxide lapping mop, followed by the 100mm firm mop and buff compound. Finally, for a high gloss finish the 100mm soft mop and buff compound. The kit also includes a straight arbor with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
Kit for Wood	£19.44	£16.20	503932

Heavy Duty Polishing Kit for Brass, Copper & Non-Ferrous Metals

Used with a power drill or flexible shaft, this kit provides all you need to produce a mirror finish on aluminium, brass, copper and similar soft metals. It only takes two easy steps, initially with the 100mm, two section stitched mop and brown compound, then followed by the 100mm x 25mm loose leaf, soft mop and blue compound. The kit also includes a pigtail arbor with a 6mm shank with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
H/D Kit for Alloys, Brass and Copper	£24.44	£20.37	503937

Heavy Duty Polishing Kit for Steel, Stainless Steel & Ferrous Metals

Used with a power drill or flexible shaft, this kit provides all you need to produce a mirror finish on steel, stainless steel, iron and (hard) ferrous metals. It only takes two easy steps, initially with the 100mm, 2 section stitched mop and grey compound, then followed by the 100mm x 25mm looseleaf, soft mop and blue compound. The kit also includes a pigtail arbor with a 6mm shank with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
H/D Kit for Steel, Stainless Steel, Ferrous Metals	£24.44	£20.37	503938

Heavy Duty Polishing Kit for Chrome, Plated Metals & EPNS

Used with a power drill or flexible shaft, this kit provides all you need to produce a mirror finish on chrome, plated metals and EPNS (electro plated nickel silver). It only takes two easy steps, initially with the 100mm, 2 section stitched mop and white compound, followed by the 100mm x 25mm looseleaf soft mop and white compound. The kit also includes a pigtail arbor with a 6mm shank with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
H/D Kit for Chrome, Plated Metals & EPNS	£24.44	£20.37	503941

Heavy Duty Polishing Kit for Plastic, Fibreglass & Bakelite

Used with a power drill or flexible shaft, this kit provides all you need to produce a high gloss finish on plastic, acrylics, fibreglass and Bakelite. It only takes two easy steps, initially with the 100mm, 2 section stitched mop and brown compound, followed by the 100mm x 25mm soft loose leaf mop and buff compound. The kit also includes a pigtail arbor with a 6mm shank with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
H/D Kit for Plastic, Fibreglass & Bakelite	£24.44	£20.37	503940

Heavy Duty Polishing Kit for Wood

Used with a power drill or flexible shaft, this kit provides all you need to produce a high gloss finish on wood, hard and soft. It only takes two easy steps, initially with the 100mm x 4 section aluminium oxide abrasive lap, followed by the 100mm x 2 section stitched mop and buff compound. The kit also includes a pigtail arbor with a 6mm shank with which to mount the mops in a drill chuck.

	Inc.vat	Ex.vat	Code
H/D Kit for Wood	£24.44	£20.37	503939

Polishing Mops & Adaptors

Abrasive Lap Mops




These mops have a leather reinforced central tapered hole for mounting onto a tapered mop adaptor on a bench grinder or a pigtail chucked in a power drill. Each mop consists of four discs of non-woven nylon, coated with aluminium oxide abrasive. A certain amount of flexibility means you can use them on curved surfaces. Available in four grades, they have many uses. Mainly intended for use on metals although some interesting effects can be had when used on wood. The coarse grade (approx 80g) will remove paint and heavy rust from metal and can be quite aggressive. Medium and finer grades (approx 120g, 180g and 320g) are great for cleaning tools that have become rusty, bringing them back to life and full use. The most widely used applications are producing a satin or matt finish on metal, or smoothing and preparing the surface prior to final polishing with compound and cotton mops.

Eye protection must be worn.

	Inc.vat	Ex.vat	Code
Coarse (approx 80g) 150mm	£10.94	£9.12	952849
Medium (approx 120g) 150mm	£10.74	£8.95	952850
Fine (approx 180g) 100mm	£7.94	£6.62	503948
Fine (approx 180g) 150mm	£10.25	£8.54	952851
Very Fine (approx 320g) 150mm	£10.74	£8.95	952852

Polishing Mops Looseleaf



- For use on taper spindles
- Unstitched for a softer working surface
- All looseleaf mops are 25mm thick
- First stage polishing on copper, brass, pewter, gold, silver and most hard plastics - **B mop**
- Final finishing on harder metals such as steel, stainless steel and iron - **B mop**
- Final finishing on non-ferrous metals, such as brass and copper - **G mop**
- Fine finishing of plastics - **G mop**

	Inc.vat	Ex.vat	Code
Grade B - 75 x 25mm	£6.44	£5.37	503901
Grade B - 100 x 25mm	£7.44	£6.20	503902
Grade B - 150 x 25mm	£10.74	£8.95	503903
Grade B - 200 x 25mm	£19.44	£16.20	503904
Grade G - 100 x 25mm	£7.34	£6.12	503905
Grade G - 150 x 25mm	£8.75	£7.29	503906
Grade G - 200 x 25mm	£13.94	£11.62	503907



Polishing Mops Stitched

- For use on taper spindles
- Stitched to give a firmer working surface
- Sections are approximately 13mm wide
- First stage polishing on copper, brass - **B mop**
- Second stage polishing steel, stainless steel and iron - **B mop**
- Final finishing on ferrous metals - **G mop**
- General polishing where surface is unscratched - **G mop**

	Inc.vat	Ex.vat	Code
Grade G - 100mm x 1 Section	£6.44	£5.37	503908
Grade G - 150mm x 1 Section	£8.94	£7.45	503909
Grade G - 150mm x 2 Section	£9.95	£8.29	503910
Grade G - 200mm x 2 Section	£15.95	£13.29	503911
Grade G - 200mm x 3 Section	£17.94	£14.95	503912
Grade B - 100mm x 1 Section	£7.94	£6.62	503913
Grade B - 100mm x 2 Section	£9.95	£8.29	503914
Grade B - 150mm x 1 Section	£9.44	£7.87	503915
Grade B - 150mm x 2 Section	£15.95	£13.29	503916
Grade B - 200mm x 2 Section	£18.95	£15.79	503917

Polishing Mops Sisal

These stitched sisal mops have leather centre washers for use on a tapered spindle mounted on a bench grinder or a taper pigtail in a drill chuck. The sisal mop consists of sections, each with a thickness of approximately 13mm. Sisal fibres sandwiched between calico cloth make up each section, which are then spirally stitched. A sisal mop is more aggressive than a standard stitched mop. Combined with grey compound the sisal mop has a fast cutting action and removes scratches left by abrasives or grinding marks. These mops are particularly useful for first stage heavy duty polishing on steel, aluminium alloys stainless steel and iron. For best results use a separate mop for each different compound, mark each mop using a felt tip pen with the type of compound used. Store mops in individual plastic bags when not in use.

	Inc.vat	Ex.vat	Code
Sisal - 100mm x 1 Section 13mm	£7.44	£6.20	503918
Sisal - 100mm x 2 Section 26mm	£9.44	£7.87	503919
Sisal - 150mm x 2 Section 26mm	£9.95	£8.29	503920
Sisal - 200mm x 3 Section 39mm	£21.95	£18.29	503921

Flexipads Scruff Balls

Each Scruff ball consists of a 75mm spherical shaped non-woven nylon mop made up of aluminium oxide abrasive discs. The shape and a certain amount of flexibility means you can use them on many different profiled shapes and surfaces. Available in three grades, they have many uses. Mainly intended for use on metals although some interesting effects can be achieved when used on wood. The most widely used applications are producing a satin or matt finish on metal, or smoothing and preparing the surface prior to final polishing with compound and cotton mops. Maximum 10,000rpm. Eye protection must be worn.

	Inc.vat	Ex.vat	Code
Medium (Green) 75mm	£9.44	£7.87	504425
Ultra Fine (Maroon) 75mm	£9.44	£7.87	504426
Very Fine (Grey) 75mm	£9.44	£7.87	504427



Polishing Mops 10mm Bore Metal Centred

These mops have metal centres with a 10mm bore, for use with a straight threaded arbor, mounted in a drill chuck or flexible shaft. Each mop is 100mm diameter. There are two cotton mops, firm or soft for finishing work and high glossing. A sisal mop for first stage preparation on hard metals and a nylon abrasive lap for preparation on wood or satin finishing of metal. For best results use a separate mop for each different compound, mark each mop using a felt tip pen with the type of compound used. Store mops in individual plastic bags when not in use.

	Inc.vat	Ex.vat	Code
100mm Firm Cotton	£4.44	£3.70	503942
100mm Soft Cotton	£4.44	£3.70	503943
100mm Sisal Mop	£9.74	£8.12	503945

Pigtail Mop Arbor 6mm Shank

This pigtail arbor enables a leather centred polishing mop to be mounted in a power drill or flexible shaft. It has a 6mm shank to fit into the drill's chuck. Please note, when using a polishing mop in a drill or flexible shaft, it is recommended to use mops no more than 100mm in diameter.

	Inc.vat	Ex.vat	Code
Pigtail Mop Arbor 6mm Shank	£7.14	£5.95	503936

Arbor for 10mm Bore Polishing Mops

This arbor enables 10mm bore metal centred polishing mops to be mounted in a power drill or flexible shaft. It has a 6mm shank to fit into the drill's chuck. Please note, when using a polishing mop in a drill or flexible shaft, it is recommended to use mops no more than 100mm in diameter.

	Inc.vat	Ex.vat	Code
Arbor for 10mm Bore Polishing Mops	£4.14	£3.45	503935

Polishing Mop Adaptor, Tapered Spindle

A simple adaptor which fits over the shaft of a bench grinder or motor and is held in place by a grub screw. The mop is screwed onto the tapered thread and when the grinder is switched on the mop 'climbs' up the taper, locking itself in place. These adaptors make changing mops for different compounds quick and simple. 1/2" bore available for left or right hand sides of your bench grinder. Always provide adequate guarding.

	Inc.vat	Ex.vat	Code
1/2" Bore Left Hand	£6.74	£5.62	503947
1/2" Bore Right Hand	£6.74	£5.62	503946

Drill Mounted Polishing Accessories

A good quality flexible shaft for use in those situations where it is easier to take the mop to the job rather than the job to the mop. The power drill (with 43mm collar) is secured to the bench, preferably with a proper drill clamp, and the shaft is fixed into the drill chuck. The pigtail adaptor (503936) is then fitted to the chuck on the end of the shaft and a suitable mop screwed onto the adaptor (we would recommend 3" or 4" diameter).

	Inc.vat	Ex.vat	Code
Flexible Shaft 1.3m	£52.94	£44.12	910258
Pigtail Mop Arbor 6mm Shank	£7.14	£5.95	503936

Polishing & Linishing Compounds

Grey Polishing Compound (Supercut)

Cutting compound for first stage polishing of steels and stainless steels, other hard metals (ferrous metals) or aluminium alloys. It removes minor imperfections, blemishes, scratches and grinding marks. Recommended for use with a sisal mop for coarser work or a hard stitched mop. Small bars approximately 100 x 27 x 15mm (supplied in packs of 2), large bars 200 x 50 x 50mm.

	Inc.vat	Ex.vat	Code
Grey Small Bars (Pkt 2)	£5.94	£4.95	503923
Grey Large Bar	£12.74	£10.62	503954

Blue Polishing Compound (Steelbrite)

Blue for the final polishing stage, high glossing of brass, copper, aluminium, steel, stainless steel and hard metals. Best results come from using a soft loose-leaf mop. Small bars approximately 100 x 27 x 15mm, large bars 200 x 50 x 50mm.

	Inc.vat	Ex.vat	Code
Blue Small Bars (Pkt 2)	£6.95	£5.79	503926
Blue Large Bar	£9.95	£8.29	503953

Pink Polishing Compound (Sovereign)

This is an intermediate compound for the second stage polishing of steels and stainless steels, other hard metals (ferrous metals) or aluminium alloys. It blends and polishes minor scratches and marks left behind by the cutting stage (grey compound). Recommended for use with a soft stitched or a firm loose-leaf mop. Small bars approximately 100 x 27 x 15mm (supplied in packs of 2), large bars 200 x 50 x 50mm.

	Inc.vat	Ex.vat	Code
Pink Small Bars (Pkt 2)	£5.94	£4.95	503924
Pink Large Bar	£7.44	£6.20	503950

Buff Polishing Compound

A compound for intermediate buffing using a stitched mop, or final high gloss polishing using a soft loose-leaf mop. It is suitable for polishing such materials as plastic, fibreglass, Bakelite and wood. Small bars approximately 100 x 27 x 15mm (supplied in packs of 2).

	Inc.vat	Ex.vat	Code
Buff Small Bars (Pkt 2)	£5.94	£4.95	503925

Brown Polishing Compound (Tripoli)

Cutting compound for first stage polishing of brass, copper, aluminium, non-ferrous metals, plastics, fibreglass or Bakelite. It removes minor imperfections, blemishes and small scratches. Recommended for use with a hard stitched or firm loose-leaf mop dependent on the material being polished. Small bars approximately 100 x 27 x 15mm (supplied in packs of 2), large bars 200 x 50 x 50mm.

	Inc.vat	Ex.vat	Code
Small Bars (Pkt 2)	£5.94	£4.95	503922
Brown Large Bar	£6.95	£5.79	503949

White Polishing Compound (Hyfin)

A compound for first stage (in combination with a firm mop stitched or loose) on chrome, plated metals and EPNS (electro plated nickel silver). Used with soft, loose leaf mop, it is suitable for the final high polish stage on the same range of metals. Small bars approximately 100 x 27 x 15mm, large bars 200 x 50 x 50mm.

	Inc.vat	Ex.vat	Code
White Small Bars (Pkt 2)	£5.94	£4.95	503929
White Large Bar	£7.34	£6.12	503952

Maroon Polishing Compound (Rouge)

Use only with a soft, loose leaf mop, for polishing precious metals, gold, silver etc. Rouge can be used effectively on brass, copper and glass. 1/2 round large bar 200 x 50 x 50mm.

	Inc.vat	Ex.vat	Code
Maroon Large Bar	£11.75	£9.79	503951